

المراجع والمصادر العربية: Arabic References

- القرآن الكريم
- ثامر محمد عباس منشي، دهام ناصر دهام الدهام، محمد قايد: أساسيات العرض والتحليل الإحصائي بإستخدام Spsswin، ج2، الكويت، دار الوطن للطباعة، 2013.

English References

المراجع والمصادر الاجنبية:

- Alison B. & Kok P., (2003). A Simple Pulmonary Rehabilitation Program Improves Health Outcomes and Reduces Hospital Utilization in Patients with COPD, CHEST, 124.
- Alison JA, Regnis JA, Donnelly PM, (1998). End-expiratory lung volume during arm and leg exercise in normal subjects and patients with cystic fibrosis. Am J Respir Crit Care Med, 158.
- American Thoracic Society & European Respiratory Society (2004). Standards for the diagnosis and management of patients with COPD, Am Rev Respir Dis, 2(4).
- American Thoracic Society statement (2002). Guidelines for six minute walking test. Am J Respir Crit Care Med, 166.
- American Thoracic Society, (1983). Screening for adult respiratory disease, Am Rev Respir Dis, 128.
- American Thoracic Society, (1987). Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease (COPD) and asthma. Am Rev Respir Dis, 136.
- American Thoracic Society, (1999). Dyspnoea Mechanisms, Assessment, and Management: A Consensus Statement. Am J Respir Crit Care Med, 159.
- American Thoracic Society, (2000). What constitutes an adverse health effect of air pollution. Am J Respir Crit Care Med, 161.
- Anne E, Catherine J., (2004). Does Unsupported Upper Limb Exercise Training Improve Symptoms and Quality of Life for

- Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation, 24 (6).
- Anthonisen NR, Connett JE, Kiley JP, (2010). Effects of smoking intervention and the use of an inhaled anticholinergic bronchodilator on the rate of decline of FEV1, The Lung Health Study JAMA, 272.
- Astrand PO, Rodahl K, (1986). Textbook of work physiology. 3rd ed, New York, NY: McGraw-Hill.
- Baarends E.M., Schols A.M.W.J, Slebos D-J, Mostert R, Janssen P.P, Wouters E.F.M., (1995). Metabolic and ventilatory response pattern to arm elevation in patients with COPD and healthy age-matched subjects, Eur Respir J, 8.
- Babcock MA, Pegelow DF, McLaran SR, (1995). Contribution of diaphragmatic power output to exercise-induced diaphragm fatigue, J Appl Physiol, 78.
- Bauldoff, G. S., Hoffman, L. A., Sciurba, F., & Zullo, T. G., (1996). Home-based, upper-arm exercise training for patients with chronic obstructive pulmonary disease. Heart & Lung, The Journal of Critical Care, 25(4).
- Beckerman, Marinella, Magadle, R. (2005). The Effects of 1 Year of Specific Inspiratory Muscle Training in Patients with COPD, Chest, 5.
- Bellamy D, Bouchard J, Henrichsen S, Johansson G, (2006). International Primary Care Respiratory Group (IPCRG) Guidelines: Management of Chronic Obstructive Pulmonary Disease (COPD). Prim Care Res Jou, 15.
- Belman MJ, Botnick WC, Shin JW. (1996). Inhaled bronchodilators reduce dynamic hyperinflation during exercise in patients with chronic obstructive pulmonary disease. Am J Respir Crit Care Med, 153.
- Berger R, & Smith D. (2000). Effect of inhaled metaproterenol on exercise performance in patients with stable “fixed” airway obstruction. Am Rev Respir Dis, 138.
- Bestall J C, Paul E A, Garrod R, Garnham R, Jones P W, Wedzicha J A., (1999). Usefulness of the Medical Research Council (MRC) dyspnoea scale as a measure of disability in

- patients with chronic obstructive pulmonary disease. Thorax, 54.
- Black LF, Hyatt RE., (1969). Maximal respiratory pressures: normal values and the relationship to age and sex. Am Rev RespirDis, 99.
- Bonnel A.M, Mathiot M.J, Grimaud C., (1985;). Inspiratory and Expiratory Resistive load Detection in Normal and Asthmatic Subjects. Respiration, 48.
- Boutellier, U., and P. Piwko, (1992). The respiratory system as an exercise limiting factor in normal sedentary subjects. Eur J Appl Physiol, 64.
- Breslin E H., (1992). The Pattern of Respiratory Muscle Recruitment during Pursed-Lip Breathing. Chest, 101.
- Breslin E H., (1999). The Pattern of Respiratory Muscle Recruitment during Pursed-Lip Breathing. Chest, 101.
- British Thoracic Society, (2001). Pulmonary rehabilitation, Thorax, 56.
- Brusasco V. Pellegrino R. Rodarte J.R. (1997). Vital capacities in acute and chronic airway obstruction: dependence on flow and volume histories, Eur Respir J, 10.
- BTS guidelines for the management of chronic obstructive pulmonary disease (1997). The COPDGuidelines Group of the Standards of Care Committee of the BTS. Thorax, 52(5).
- Burge P. S. (1999). Euroscop, Isolde and the Copenhagen City Lung Study. Thorax, 54.
- Burt VL, Whelton P, Roccella EJ, (1995). Prevalence of hypertension in the US adult population: results from the Third National Health and Nutrition Examination Survey, 1988–1991, Am Rev Respir Dis, 25.
- Campbell EJM, Freedman S, Smith PS, (1961). The ability of man to detect added elastic loads to breathing. Clin Sci, 20.
- Carl-Peter Engström, Lars-Olof Persson, Sven Larsson and Marianne Sullivan, (1999). Long-Term Effects of a Pulmonary Rehabilitation Program in Outpatients with COPD: A Randomized Controlled Study, Scand J Rehab Med, 31.

- Celli BR, MacNee W, (2004). Standards for the diagnosis and treatment of patients with COPD: a summary of the ATS/ERS position paper. Eur Respir J, 23.
- Celli BR., (1994). The clinical use of upper extremity exercise. Clin Chest Med, 15.
- Cherniack NS, (1991). Chronic obstructive pulmonary disease, Saunders.
- Clanton TL, Dixon G, Drake J, Gadek JA., (1985). Inspiratory muscle conditioning using a threshold loading device, Chest, 96.
- Coast JR, Clifford PS, Henrich TW, Stray-Gundersen J, Johnson RL. (1990). Maximal inspiratory pressure following maximal exercise in trained and untrained subjects. Med Sci Sports Exerc, 22 (6).
- Couser J.I, Martinez F.J, Celli B.R., (1992). Respiratory Response and Ventilatory Muscle Recruitment During Arm Elevation in Normal Subjects. Chest, 101.
- Couser J.I, Martinez F.J, Celli B.R., (1993). Pulmonary Rehabilitation That Includes Arm Exercise Reduces Metabolic and Ventilatory Requirements for Simple Arm Elevation. Chest, 103.
- Covey K, Larson L, Wirtz E, Berry K, Pogue J, Alex G, Patel., (2001). High Intensity Inspiratory Muscle Training in Patients With Chronic Obstructive Pulmonary Disease and Severely Reduced Function, Journal of Cardiopulmonary Rehabilitation, 21.
- Crapo RO, (1994).Pulmonary-function testing. N Engl J Med, 331.
- Darlene & Baljit, (1995). Respiratory Muscle Training for Patients With Chronic Obstructive Pulmonary Disease, Phys Ther, 75.
- Dekhuijzen PNR, Folgening HTM, van Herwaarden CLA., (1991). Target-flow inspiratory muscle training during pulmonary rehabilitation in patients with COPD. Chest, 99.
- Devereux, (2006). ABC of chronic obstructive pulmonary disease Definition, epidemiology, and risk factors. BMJ, 332.

- Dolmage E, Maestro, Monica A, Avendano, (1993). The Ventilatory Response to Arm Elevation of Patients With Chronic Obstructive Pulmonary Disease. Chest, 104.
- Don D, Sin and Jack V. (2001). Inhaled Corticosteroids and the Risk of Mortality and Readmission In Elderly Patients with Chronic Obstructive Pulmonary Disease. Am J Respir Crit Care Med, 164.
- Donner C.F, Muir J.F. (1997). Selection criteria and programmes for pulmonary rehabilitation in COPD patients. Eur Respir J, 10.
- Eagan TM, Gulsvik A, Eide GE, Bakke PS, (2004). Remission of respiratory symptoms by smoking and occupational exposure in a cohort study. Eur Respir J, 23.
- Eastwood PR, Hillman DR, Morton AR, (1998). The effect of learning on the ventilatory responses to inspiratory threshold loading. Am J Respir Crit Care Med, 158.
- Ellison, Bronwyn. Normal range of blood oxygen level, Livestrong.com. Retrieved 6 June 2013.
- Enright, S. J., Unnithan, Viswanath B., Heward, C., Withnall, L., Davies, David H. (2006). Effect of High-Intensity Inspiratory Muscle Training on Lung Volumes, Diaphragm Thickness, and Exercise Capacity in Subjects Who Are Healthy, Physical Therapy, 86.
- Enright, S., Chatham, K., Lonescu, A. (2004). Inspiratory Muscle Training Improves Lung Function and Exercise Capacity in Adults with Cystic Fibrosis, Chest, 2.
- Ezzati M, Lopez AD. (2012). Estimates of global mortality attributable to smoking in 2011. Lancet, 362.
- Fatma A.M, (2012). Does Inspiratory Muscle Training Following Thoracic Surgery Have an Effect On The Outcomes? Journal of American Science, 8(3).
- Folgering H. Rooyackers J., (1998). Pulmonary rehabilitation in chronic obstructive pulmonary disease, Eur Respir J, 11.
- Francisco, O. Javier, T. Pilar, C. (2002). Comparison of Effects of Strength and Endurance Training in Patients with Chronic Obstructive Pulmonary Disease, Am J Respir Crit Care Med, 166.

- Gavin Sturdy, David Hillman, Daniel Green, Sue Jenkins, Nola Cecins, and Peter Eastwood, (2003). Feasibility of High-Intensity, Interval-Based Respiratory Muscle Training in COPD, CHEST, 123.
- Geddes D, Davies M, Koyama H, (2000). Effect of lung volume reduction surgery in patients with severe emphysema, N Engl J Med, 343.
- Geddes EL, Reid WD, Crowe J, O'Brien K, Brooks D. (2005). Inspiratory muscle training in adults with chronic obstructive pulmonary disease: A systematic review, Respir Med, 99.
- Gibala, M.J., J.P. Little, M. van Essen, G.P. Wilkin, K.A. Burgomaster, A. Safdar, S. Raha, and M.A. Tarnopolsky (2006). Short-term sprint interval versus traditional endurance training: similar initial adaptations in human skeletal muscle and exercise performance. J. Physiol, 57(3).
- Gigliotti F, Coli C, Bianchi R, (2003). Exercise training improves exertional dyspnoea in patients with COPD: evidence of role of mechanical factors. Chest, 123.
- Gigliotti F, Coli C, Bianchi R, (2005). Arm exercise and hyperinflation in patients with COPD, Effect of arm training, Chest, 128.
- Global Initiative for Chronic Obstructive Pulmonary Lung Disease, (2011). Pocket Guide to COPD Diagnosis, Management, and Prevention, USA.
- Goldstein R, De Rosie J, Long S, Dolmage T and Avendano M A., (1989). Applicability of a Threshold Loading Device for Inspiratory Muscle Testing and Training in Patients with COPD. Chest 96.
- Gosselink R, Troosters T and Decramer M (1996). Peripheral muscle weakness contributes to exercise limitation in COPD, American Journal of Respiratory and Critical Care Medicine, 153.
- Hamilton AL, Killian KJ, Summers E and Jones NL (1995). Muscle strength, symptom intensity, and exercise capacity in patients with cardiorespiratory disorders, American Journal of Respiratory and Critical Care Medicine, 152.

- Harver A, Mahler DA, Daubenspeck JA., (1989). Targeted inspiratory muscle training improves respiratory muscle function and reduces dyspnea in patients with COPD, Ann Intern Med, 111.
- Hasford B, Fruhmann G. (1998). Air pollution and daily admissions for chronic obstructive pulmonary disease in six European cities: results from the APHEA project. Air pollution and Health, aEuropean Approach, Eur Respir J, 11.
- Hay JG, Stone P, Carter J, (1998). Bronchodilator reversibility, exercise performance and breathlessness in stable chronic obstructive pulmonary disease. Eur Respir J, 5.
- Hildegard SR, Rubio TM, Ruiz FO, (2001). Inspiratory muscle training in patients with COPD, Chest, 120.
- Hill, Jenkins, Hillman, (2004). Dyspnoea in COPD: Can inspiratory muscle training help. Aust Jour of Phy, 50.
- John F, Jay A, Robert J, Homer A. (2000). Textbook of respiratory medicine, WB. Saunders company, 3.
- Koppers J. H, Vos J. E, Boot R. L, and Folgering M. (2006). Exercise Performance Improves in Patients With COPD due to Respiratory Muscle Endurance Training. Chest, 129.
- Koulouris N.G. Rapakoulis P. Rassidakis A. Dimitroulis J. Gaga M. Milic-Emili J. Jordanoglou J. (1997). Dependence of forced vital capacity manoeuvre on time course of preceding inspiration in patients with restrictive lung disease, Eur Respir J, 10.
- Lacasse Y, Brosseau L, Milne S, Martin S, Wong E, Guyatt GH, Goldstein RS. (2006). Pulmonary rehabilitation for chronic obstructive pulmonary disease. Cochrane Database Syst Rev, 3.
- Larson JL, Kim h1J. Sharp JT, Larson DA. (1988). Inspiratory muscle training with a pressure threshold breathing device in patients with chronic obstructive pulmonary disease. Am Rer, Respir Dis, 138.
- Larson JL, Kim MJ, Sharp JT, Larson DA. (1986). Inspiratory muscle training with a pressure threshold breathing device in patients with chronic obstructive pulmonary disease (abstract). Am Rev Resp Dis, 133.

- Laurell CB, Eriksson S. (1963). The electrophoretic α_1 -globulin pattern of serum in α_1 - antitrypsin deficiency. Scand J Clin Lab Invest, 15.
- Lausted, C.; Johnson, A.; Scott, W.; Johnson, M.; Coyne, K.; Coursey, D. (2006). Maximum static inspiratory and expiratory pressures with different lung volumes, Biomedical engineering online, 5(1).
- Leith DE, Mead J. (1967). Mechanisms determining residual volume of the lungs in COPD patients. J Appl Physiol, 23.
- Lisboa C, Villafranca C, Leiva A, (1997). Inspiratory muscle training in chronic airflow limitation: effect on exercise performance, Eur Respir J, 10.
- Lisboa C. Muñoz V. Beroiza T. Leiva A. Cruz E., (1994). Inspiratory muscle training in chronic airflow limitation: comparison of two different training loads with a threshold device, Eur Respir J, 7.
- Lomax, (2010). Inspiratory muscle training, altitude, and arterial oxygen desaturation: a preliminary investigation, Aviat Space Environ Med, 81(5).
- Lotters F. van B. Kwakkel G. Gosselink R. (2002). Effects of controlled inspiratory muscle training in patients with COPD: a meta-analysis, Eur Respir J, 20.
- Mador M, Bozkanat, Aggarwal, Shaffer and Kufel J. (2004). Endurance and Strength Training in Patients With COPD. Chest, 125.
- Mahler A., (1990). Dyspnoea, USA, Future Publishing Company.
- Manning H.L and Mahler D.A., (2001). Pathophysiology of dyspnoea. Monaldi Arch Chest Dis, 56: 4.
- Marco F. Di, Milic-Emili J, Boveri B, Carlucci P, Santus P, Casanova F, Cazzolaz M, Centanni S. (2003). Effect of inhaled bronchodilators on inspiratory capacity and dyspnoea at rest in COPD. Eur Respir J, 21.
- Marshall R, Stone R.W, Christie R.V., (1954). The Relationship of Dyspnoea to Respiratory Effort in Normal Subjects, Mitral Stenosis and Emphysema, Clin.Ris, 13.

- Martinez FJ, Couser JJ, Celli BR., (1991). Respiratory response to arm elevation in patients with chronic airflow obstruction. Am Rev Respir Dis, 143.
- Martinez FJ, Vogel PD, Dupont DN, (1993). Supported arm exercise vs unsupported arm exercise in the rehabilitation of patients with severe chronic airflow obstruction. Chest, 103.
- McKeough ZJ, Alison JA and Bye PTB, (2003). Arm positioning alters lung volumes in subjects with COPD and healthy subjects. Aust Jour of Phys, 49.
- Meek M, Suzanne C, Lareau RN., (2003). Critical outcome in pulmonary rehabilitation: Assessment and evaluation of dyspnoea and fatigue. Jour. Reh Resear Deve, 40(5).
- Mike Mc Evoy, (2010). Hypoxemia (low blood oxygen), Albany Medical College, New York, 16.
- Morrison N J, Richardson J, Dunn L and Pardy R L. (1989). Respiratory Muscle Performance in Normal Elderly Subjects and Patients with COPD. Chest, 95.
- Mota S, Güell R, Barreiro E, Solanes I, Ramírez-Sarmiento A, Orozco-Levi M, Casan P, Gea J, Sanchis J. (2007). Clinical outcomes of expiratory muscle training in severe COPD patients, Respir Med, 101(3).
- National Emphysema Treatment Trial Research Group, (2003). A randomized trial comparing inspiratory muscle training with medical therapy for severe emphysema. N Engl J Med, 348.
- Nattie, E. E., (1995). Regulation of Breathing, New York.
- Needham M and Stockley A.R. (2004). A1-Antitrypsin deficiency. 3: Clinical manifestations and natural history. Thorax, 59.
- Newall, C. Stockley R A. & Hill S L., (2005). Exercise training and inspiratory muscle training in patients with COPD, Thorax, 60.
- Nickerson BG, Keens TG., (1982). Measuring ventilatory muscle endurance in humans as sustainable inspiratory pressure, J Appl Physiol, 52.
- Nonoyama M, Brooks D, Lacasse Y, Guyatt GH, Goldstein R. (2005). Oxygen therapy during exercise training in chronic

- obstructive pulmonary disease (Review), The Cochrane Library.
- Nosedá A, Carpioux J-P, Schmerber J, Valente F, Yernault J-C., (1994). Dyspnoea and flow-volume curve during exercise in COPD patients. Eur Respir J, 7.
- O'Donnell DE, Webb KA., (1993). Exertional breathlessness in patients with chronic airflow limitation: the role of lung hyperinflation, Am Rev Respir Dis, 148.
- Paltiel W, Rasmi M, Marinella B, Margalit W, and Noa Berar-Yanay, (2003). Specific Expiratory Muscle Training in COPD, CHEST, 124.
- Pauwels RA, Buist AS, Ma P, Jenkins CR, Hurd SS, (2001). Global strategy for the diagnosis, management, and prevention of chronic obstructive pulmonary disease: National Heart, Lung, and Blood Institute and World Health Organization Global Initiative for Chronic Obstructive Lung Disease (GOLD): executive summary. Respir Care, 46(8).
- Porszasz, Emtner, Goto, Somfay, Whipp J, and Casaburi, (2005). Exercise Training Decreases Ventilatory Requirements and Exercise-Induced Hyperinflation at Submaximal Intensities in Patients With COPD. Chest, 128.
- Potter WA, Olafsson S, Hyatt R, (1971). Ventilatory mechanics and expiratory flow limitation during exercise in patients with obstructive lung disease, Chest, 50.
- Preusser BA, Winningham ML, Clanton TL. (1994). High- vs low-intensity inspiratory muscle interval training in patients with COPD, Chest, 106.
- Quanjer PhH, Tammeling GJ, Cotes JE, Pedersen OF, Peslin R, Yernault J-C. (1993). Lung volumes and forced ventilator flows. Report Working Party, "Standardization of Lung Function Tests". European Coal and Steel Community. Official statement of the European Respiratory Society. Eur Respir J, 6(16).
- Rabe KF, Hurd S, Anzueto A, Barnes PJ, Buist SA, Calverley P, Fukuchi Y, Jenkins C, Rodriguez-Roisin R, van Weel C, Zielinski J. (2007). Global Initiative for Chronic Obstructive Lung Disease. Global strategy for the diagnosis, management,

- and prevention of chronic obstructive pulmonary disease: GOLD executive summary. Am J Respir Crit Care Med, 176.
- Ramirez-Venegas A, Sansores RH, Perez-Padilla R et al., (2006). Survival of patients with chronic obstructive pulmonary disease due to biomass smoke and tobacco. Am J Respir Crit Care Med, 173.
- Reid W and Dechman, (1995). Considerations When Testing and Training the Respiratory Muscles. Phys ther, 75.
- Reilly JJ, Silverman EK, Shapiro S. D, Favo AS, et al., (2008). Chronic Obstructive Pulmonary Disease. In: Harrison's Principles of Internal Medicine. Mc Graw Hill Medical: New York. 2(17).
- Ribarren C, Tekawa IS, Sidney S, Friedman GD. (1999). Effect of cigar smoking on the risk of cardiovascular disease, chronic obstructive pulmonary disease, and cancer in men. N Engl J Med, 340.
- Ries AL, Bauldoff GS, Carlin BW, (2007). Pulmonary Rehabilitation: Joint ACCP/ AACVPR Evidence-Based Clinical Practice Guidelines. Chest, 131.
- Ries AL, Kaplan RM, Myers R, (2003). Maintenance after pulmonary rehabilitation in chronic lung disease: a randomised trial. Am J Crit Care Respir Med, 167.
- Robert A. Wise, (2006). The Value of Forced Expiratory Volume in 1 Second Decline in the Assessment of Chronic Obstructive Pulmonary Disease Progression, The American Journal of Medicine, 119:(10).
- Rossi A, Gottfried SB, Zocchi L, (2009). Measurement of static compliance of the total respiratory system in patients with acute respiratory failure during mechanical ventilation, The effect of intrinsic positive end-expiratory pressure, The American review of respiratory disease, 131 (5).
- Sachs MC, Enright PL, Hinckley Stukovsky KD, Jiang R, Barr RG, (2009). Multi-Ethnic Study of Atherosclerosis Lung Study, Performance of maximum inspiratory pressure tests and maximum inspiratory pressure reference equations for 4 race/ethnic groups, Respir Care, 54 (10).

- Scherer A, Spengler M, Owassaplan, Imhof, Boutellier, (2000). Respiratory Muscle Endurance Training in Chronic Obstructive Pulmonary Disease Impact on Exercise Capacity, Dyspnoea, and Quality of Life. Am J Respir Crit Care Med, 162.
- Schikowski T, Sugiri D, Ranft U (2005). Long-term air pollution exposure and living close to busy roads are associated with COPD in women. Respir Res, 6.
- Sciurba F, Criner GJ, Lee SM, Mohsenifar Z, Shade D, Slivka W (2003). Six-minute walk distance in chronic obstructive pulmonary disease: reproducibility and effect of walking course layout and length. Am. J Respir. Crit Care Med, 167.
- Scott K, Bartolome R, Fernando J, James I, Jairo MD, (1997). Arm Training Reduces the VO₂ and VE Cost of Unsupported Arm Exercise and Elevation in Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation, 17 (3).
- Serón P, Riedemann P, Muñoz S, Doussoulin A, Villarroel P, Cea X, (2005). Effect of Inspiratory Muscle Training on Muscle Strength and Quality of Life in Patients With Chronic Airflow Limitation: a Randomized Controlled Trial, Arch Bronconeumol, (11) 41.
- Shad Ali, Deepak Talwar and S.K. Jain, (2014). The Effect of a Short-Term Pulmonary Rehabilitation on Exercise Capacity and Quality of Life in Patients Hospitalised with Acute Exacerbation of Chronic Obstructive Pulmonary Disease, Indian J Chest Dis Allied Sci, 56.
- Shaffer, (2012). Effect of exercise training in patients with chronic obstructive pulmonary disease compared with healthy elderly subjects, J Cardiopulm Rehabil Prev, 32(3).
- Shahin, Germain, Kazem, Annat, (2008). Benefits of short inspiratory muscle training on exercise capacity, dyspnea, and inspiratory fraction in COPD patients. International Journal of COPD, 3(3).
- Sharp, J.T.J. Danon, W.S. Druz, N.B. Goldberg, H.C. fishman, and W.Machnach, (1974). Respiratory muscle function in patients with chronic obstructive pulmonary disease :Its

- relationship to disability and to respiratory therapy. Am Rev Respir Dis, 110(1).
- Shim C, Stover DE, Williams MH. (1978). Response to corticosteroids in chronic bronchitis. J Allergy Clin Immunol, 62.
- Siafakas, N.M. Vermeire, P. Pride, N.B. (1995). Optimal assessment and management of chronic obstructive pulmonary disease (COPD), Eur Respir J, 8.
- Smith K, Cook D, Guyatt GH, Madhavan J, Oxman AD. (1992). Respiratory muscle training in chronic airflow limitation: a meta-analysis. Am Rev Respir Dis, 145.
- Soguel SN, Burdet L, de Muralt B, Fitting JW. (1996). Oxygen saturation during daily activities in chronic obstructive pulmonary disease. Eur.Respir.J. 9.
- Solway S, Brooks D, Lau L and Goldstein RS., (2002). The short term effect of a collar on functional exercise capacity among individuals with severe COPD, Chest, 122.
- Spruit M.A, Gosselink R, Troosters T, De Paepe K, Decramer M. (2002) Resistance versus endurance training in patients with COPD and peripheral muscle weakness. Eur Respir J, 19.
- Sturdy, Hillman, Green, Jenkins, Cecins and Eastwood, (2003). Feasibility of High-Intensity, Interval-Based Respiratory Muscle Training in COPD. Chest, 123.
- Sudo E, Ohga E, Matsuse T, Teramoto S, (1997). The effects of pulmonary rehabilitation combined with inspiratory muscle training on pulmonary function and inspiratory muscle strength in elderly patients with chronic obstructive pulmonary disease, Nihon Ronen Igakkai Zasshi, 34(11).
- Sunyer J, Schwartz J, Tobias A et al., (2000). Patients with chronic obstructive pulmonary disease are at increased risk of death associated with urban particle air pollution: a case-crossover analysis. Am J Epidemiol, 151.
- Suzuki S, Sato M, Okubo T. (1995). Expiratory muscle training and sensation of respiratory effort during exercise in normal subjects, Thorax, 50(4).

- Swanney MP, Ruppel G, Enright PL, (2008). Using the lower limit of normal for the FEV1/FVC ratio reduces the misclassification of airway obstruction, Thorax, 63(12).
- Takahashi, Jenkins, Geoffrey R, Watson P, (2003). A New Unsupported Upper Limb Exercise Test for Patients With Chronic Obstructive Pulmonary Disease. Journal of Cardiopulmonary Rehabilitation, 23.
- Tammy Mui, (2009). Exploring Biological Risk Factors of Chronic Obstructive Pulmonary Disease: Old Age and Female Sex. Experimental Medicine.
- Thierry, Richard, Rik, and Marc, (2005). Pulmonary Rehabilitation in Chronic Obstructive Pulmonary Disease, Am J Respir Crit Care Med, 172.
- Thomas A. Scherer, Christina M. (2000). Respiratory Muscle Endurance Training in Chronic Obstructive Pulmonary Disease, Impact on Exercise Capacity, Dyspnea, and Quality of Life, Am J Respir Crit Care Med, 162.
- Troosters T, Gosselink R, Decramer M. (1968). Six-minute walk test: a valuable test to measure physical ability. Phys. Ther, 32.
- Troosters, T., Gosselink, R., Langer, D., & Decramer, M, (2007). Pulmonary rehabilitation in chronic obstructive pulmonary disease. Respiratory Medicine: COPD, 3(2).
- Ugenskiene, Sanak, Sakalauskas, Szczeklik, (2005). Genetic polymorphisms in chronic obstructive pulmonary disease. Medicina (Kaunas), 41(1).
- Vanessa, & Carolina, (2011). Effects of inspiratory muscle training in COPD patients, Elsevier Journal, 33(1).
- Vathenen AS, Britton JR, Ebdon P, (1988). High-dose inhaled albuterol in severe chronic airflow limitation. Am Rev Respir Dis, 138.
- Velloso, Stella, Cendon Silva, Jardim, (2003). Metabolic and Ventilatory Parameters of Four Activities of Daily Living Accomplished With Arms in COPD Patients. Chest, 123.
- Vestbob, J. Sorensen, T. Lange, P. Brix, A. Torre, P. and Viskum, K. (1999). Long-term effect of inhaled budesonide

- in mild and moderate chronic obstructive pulmonary disease: a randomized controlled trial. Lancet, 353.
- Villafranca, C. Borzone, G. Leiva, A. Lisboa C. (2010). Effect of inspiratory muscle training with an intermediate load on inspiratory power output in COPD, Eur Respir J, 11.
- Volianitis, S. McConnell, A.K. Jones, D.A. (2005). Assessment of maximum inspiratory pressure (P_Imax): prior submaximal respiratory muscle activity ('warm-up') enhances P_Imax and attenuates the learning effect of repeated measurement, Journal of Cardiopulmonary Rehabilitation, 28.
- Wanger J. (1992). Pulmonary Function Testing. A Practical Approach. Baltimore, MD, USA.
- Wanger JS, Ikelle DN, Cherniack RM. (1996). The effect of inspiratory maneuvers on expiratory flow rates in health and asthma: influence of lung elastic recoil. Am J Respir Crit Care Med, 153.
- Weiner P, Azgad Y and Ganam R. (1992). Inspiratory Muscle Training Combined with General Exercise Reconditioning in Patients with COPD. Chest 102.
- William E. & Terry L. (2001). The Effects of Respiratory Muscle Training On Maximal and Submaximal Cardiovascular And Pulmonary Measurements, Eur Respir J, 11.
- Wilson SH. Cooke NT. Edwards RHT. Spiro SG, (1984). Predicted normal values for maximal respiratory pressures in caucasian adults and children, Thorax, 39.