

1.1 Company Profile:

Company Name: Eclatte IT Solutions

Address: Office No.10, City Center complex,
Synagogue Street, Near Tandel Masjid,
Opp.Oriental Bank of Commerce, Camp,
Pune-411001.

Phone No: +91 9860678682

Website: www.eclatte.com

About Company:

Eclatte IT Solutions was an established company with an aim of providing web designing, web development, web hosting and Domain name registration. It works in a Professional environment to understand technology needs. We provide services from Web Based solutions to Desktop Application that will fulfill client's requirements by the delivery of solutions with excellence. We are expert and innovative, with our expertise we deliver an advanced, optimised solution for all the clients challenges. We deliver high-quality end to end software at affordable costs.

Eclatte IT Solutions specializes in Search Engine Optimization that offers web designing and development services at a very affordable cost keeping in mind all the client's requirement. We

offer integrated services to help you communicate your ideas, services, products and information.

Our team is constantly striving for new innovation and improvement to make every project a success ensuring that all our customers are happy at the end of the day. Our special content team always tries to write quality content to reach maximum clients and express our views. We are the perfect web services providers if you want your website to reach out to its target audience an existing website that needs a design overhaul.

Services:

We offer several services that are fully customized web development services which are:

- Website Development
- E-commerce website design and development
- Social networking websites
- Travel/ News portals
- Flash Design
- Web Hosting

Eclatte IT Solutions is a leading software development company in Pune. We use the most advanced software platform and technologies in projects including web application and design Technologies.

1.2 Existing System and Need Of Proposed System::

Currently deployed systems are does not provide the functionality that satisfy the customers need to solve their queries and complaints. The customer may get irritate when they try to interact with the service providers, to over-comes such kinds of problems the proposed system is undertake to design.

The existing system has many problems associated with it. In the existing system there is no maintaining of secret key in order to download add. So untrusted broker and untrusted dealer would easily hack add which is uploaded by advertiser or publisher. So there is no privacy for the advertiser. There is no privacy in existing while uploading the add.

In existing system, enquiries are generated and clients get customer enquiries which make both of them convenient to fulfill the customer needs and get their business to the next level.

Dealers and Retailers both are on the top in selling the products with commission. With our system buyers and sellers will deal their requirement and sell their products without paying extra amount. And sell their product quickly without contact the dealer.

In this way the product will be sold to the needy person and in a quick manner by just advertising it on our Portal.

The need of a system is due to following reasons:

- An Advertisement portal for residential and commercial.
- User Can Advertise online at reasonable rates.
- Easy to access anywhere and anytime
- Business Listings for all Business locally
- Buying and selling at finger tips
- No Agent and Broker help Needed.

1.3 Scope Of Work:

To act as a bridge between Customer and Product/Business.

This is market place for Buyer and Seller.

Customer can search the product on behalf of product according to their requirements.

Initial functional requirements will be: -

- Secure registration and profile management facilities for Customers and Client.
- Browsing through the system to see the items that are there in each category of products like Tours and Travels, Hospitals, Cafes etc.
- To make searching of product faster and easier. An online advertising system designed to be faster and more private than existing systems while filling the practical market needs of targeted advertising :ads shown in web pages; targeting based on keywords, demographics, and interests ;based on auctions; view and click accounting This Portal provides details on ad dissemination, ad auctions, view/click reporting and click-fraud defence.
- Adequate searching mechanisms for easy and quick access to particular products and services.
- Maintaining database of regular customers of different needs.

1.4 Operating Environment:

Hardware Requirements (minimum):

Processor: Pentium IV or above

RAM : 2GB or above

Hard-disk: 80 GB or above

Software Requirements:

Web-server: IIS

Database server: SQL Sever 2010

Debugger : .Net

Operating system: Windows 8

Technologies used:

Front End - HTML, CSS, JQuery
 ,AJAX, ASP.NET.

Environment - Windows XP/7/8

Database -SQL Server 2008

Tools Used - Visual Studio 2010.

Web browser: Internet Explorer7

/Mozilla Firefox/Google Chrome

Communication Interface:

Communication interface deals with the protocols used for communication between different entities involved the system. Hyper Text Transfer Protocol (HTTP) is used here for the purpose of communication through the internet system. The client systems located at different locations interact with the server (administrator).

1.5 Description Of Technology Used:

1 .Net Framework:

Features of. Net

Microsoft .NET is a set of Microsoft software technologies for rapidly building and integrating XML Web services, Microsoft Windows-based applications, and Web solutions. The .NET Framework is a language-neutral platform for writing programs that can easily and securely interoperate. There's no language barrier with .NET: there are numerous languages available to the developer including Managed C++, C#, Visual Basic and Java Script. The .NET framework provides the foundation for components to interact seamlessly, whether locally or remotely on different platforms. It standardizes common data types and communications protocols so that components created in different languages can easily interoperate.

“.NET” is also the collective name given to various software components built upon the .NET platform. These will be both products (Visual Studio.NET and Windows.NET Server, for instance) and services (like Passport, .NET My Services, and so on).

1. Features of SQL-SERVER

The OLAP Services feature available in SQL Server version 7.0 is now called SQL Server 2000 Analysis Services. The term OLAP

Services has been replaced with the term Analysis Services. Analysis Services also includes a new data mining component. The Repository component available in SQL Server version 8.0 is now called Microsoft SQL Server 2000 Meta Data Services. References to the component now use the term Meta Data Services. The term repository is used only in reference to the repository engine within Meta Data Services

SQL-SERVER database consist of six type of objects:

They are,

1. TABLE
2. QUERY
3. FORM
4. REPORT
5. MACRO

2.1 Proposed System:

The problems and disadvantages in traditional existing system a new system – www.punebiz.com has been proposed.

PuneBiz Portal System which is a complete online solution for business man who wants to advertise their Product online.

The purpose of this portal is a business man to advertise their business as much as they can which will make them reach people and get customers for their business. And the buyers and sellers will deal their requirement and sell their products without paying extra amount. And sell their product quickly without contact the dealer.

The Business advertisement Portal/Buy and Sell system web application is intended to provide complete solutions for Business man as well as customers through a single get way using the internet as the sole medium. It will enable Business man to setup online shops, customer to browse through the shop and purchase them online without having to visit the shop physically.

In the proposed system, the Advertisement of of Tours and Travels, Hotels and Services, Restaurants, Hospitals, Cafes, Catering and Services, Driving Schools, Dental Clinic, Beauty Parlors, Institutes and Classes, Men's Parlour, Builder's and Developers.

It comprises of the following features

- Online Advertisement.
- Centralized Data architecture.
- One Shop for all Brands.
- Secured Advertising.
- Provide proper information briefly
- Customer can research for various product in there city.
- Customer can search for various products in their local stores.
- Customer can local connect and contact to Business man.
- Customer can review products to help other buyers.
- Business man can add new products specification and features if any.

2.2 Objective Of System:

PUNE BIZ PORTAL helps businesses build profitable customer relationship and Online Business Advertisement/BUY/SELL through latest web Technology

- Online Business Advertisement.
- To BUY/SELL products online.
- To speedup customer requirement and sales.
- To satisfy the customer needs quickly.
- Customer can order products through PuneBiz Portal.
- Admin or Business man can add new products, categories which will be kept for selling.
- Business man can create new offers on seasons and also on specific occasions.
- Customer can create shopping list of products which he usually purchase so that whenever he wants to purchase it back just click on list and place order.
- Customer can refer his friends and also can write testimonials.


2.3 User Requirement:

User interface is the interface through which the user interacts with the system. Here, each user is provided with a separate login to perform his/her activities.


the system. After the authentication and authorization is completed, the user is allowed to perform the tasks according to the rights reserved for that particular user.

- Login into the system.
- Post Advertisement
- Email confirmation
- Can access to the entire system.
- Provide comprehensive dvertisement product details
- Detailed product Categorizations
- Provide Search facility.
- Maintain customer profile.
- Share Add With Social sites
- Maintain Client profile.
- Provide detailed sitemap.
- Manage the email setting.
- Send Enquiry
-
- Can manage the database setting.

3.2 Object Diagram:




3.3 Class Diagram:




3.4 Use Case Diagram:

3.4.1 Customer Use Case:




3.4.2 Admin Use Case Diagram:




3.4 Activity Diagram:


3.4.1 Admin Activity Diagram:



3.4.2 Client Activity Diagram:




3.4.3 Customer Activity Diagram:




3.5 Sequence Diagram:


3.5.1 Admin Sequence Diagram:




3.5.2 Client Sequence Diagram:




3.5.3 Customer Sequence Diagram:



3.6 Component Diagram:



3.7 Deployment Diagram :



4. Table Specification:

4.1 Table Design:

4.1.1 Table : Customer Registration

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	CUST_ID	int		Primary Key	A unique system-generated number to use as the record identifier.
2	FIRST_NAME	Varchar	10	Not Null	The User First Name
3	LAST_NAME	Varchar	10	Not Null	The User Last Name
4.	EMAIL_ID	Varchar	15	Not Null	The User Email ID. Send User Name and Password throw this Email ID
5.	PASSWOR	Varchar	15	Not Null	Login Password

6.	MOBILE_NO	bigint	10	Not Null	User/Client Mobile Number
7.	SECRETE_MOBILE_NO	bigint	10	Not Null	This Mobile Number Use For recover User-Id and Password
8.	LOCATION	Varchar	10	Not Null	Client/Customer Location

4.1.2 Table : Client Registration:

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	CLIENT_ID	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	FIRST_NAME	Varchar	10	Not Null	The User First Name
3	LAST_NAME	Varchar	10	Not Null	The User Last Name
4.	EMAIL_ID	Varchar	15	Not Null	The User Email ID. Send User Name and Password throw this Email ID
5.	PASSWOR	Varchar	15	Not Null	Login Password
6.	MOBILE_NO	bigint	10	Not Null	User/Client Mobile Number
7.	SECRETE_MOBILE_NO	bigint	10	Not Null	This Mobile Number Use For recover User-Id and

					Password
8.	LOCATION	Varchar	15	Not Null	Client/Customer Location

4.1.3 Table Name: Admin Login:

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1.	ADMIN_ID	int		Primary Key	A unique system-generated number to use as the record identifier.
2.	ADMIN_MOBILE_NO	Varchar	50	Not Null	Admin Mobile Number for Login
3.	ADMIN_PASSWORD	Varchar	50	Not Null	Admin Password for Login

4.1.4 Table Name: Post_Free_Ad

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	AD_ID	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	AD_TITLE	Varchar	25	Not Null	The User First Name
3	AD_SERVISE1	Varchar	30	Null	The User Last Name
4.	AD_SERVISE2	Varchar	30	Null	The User Email ID. User can used Email id as a User Name
5.	AD_SERVISE3	Varchar	30	Null	Business Services
6.	AD_SER	Varchar	30	Null	Business

	VICE4				Services
7.	AD_SER VICE5	Varchar	10	Null	Business Services
8.	AD_SER VICE6	Varchar	50	Null	Business Services
9.	AD_PHO TO	Image		Null	Business Images
10.	AD_ARE A	Varchar	50	Not Null	Business Area
11.	AD_ADD RESS	Varchar	50	Not Null	Business Address
12.	AD_DES CRIPTION	VARC HAR	100	Not Null	Business Description
13.	AD_TEL_ NO	Bigint	10	Null	Business Office Telephone Number
14.	AD_MOB ILE	Bigint	10	Not Null	Business Office Mobile Number

15.	AD_EMAIL	Varchar	50	Not Null	Business Email ID
16.	AD_WEBSITE	Varchar	50	Null	Business Website
17.	CLIENT_ID	INT		Foreign Key	Client Registration Table Primary Key

4.1.5 Table Name: Tours and Travels

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	TRAVEL_	VARC	50	Not Null	The User First

	NAME	HAR			Name
3	TRAVEL _OWNER_ NAME	VARC HAR	50	Not Null	The User Last Name
4.	TRAVEL_ PHONE	bigint	50	Not Null	The User Email ID. User can used Email id as a User Name
5.	TRAVEL_ LANDLIN E	bigint	50	Null	Landline Number
6.	TRAVEL_ EMAIL	VARC HAR	10	Not Null	Email Address
7.	TRAVEL_ WEBSITE	VARC HAR	10	Null	Agency Website
8.	TRAVEL_ AREA	VARC HAR	50	Not Null	Travel Agency Area
9.	TRAVEL_ ADDRESS	VARC HAR	100	Not Null	Travel Agency Address

4.1.6 Table: Hotels and Services

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	HOTEL_NAME	VARCHAR	15	Not Null	The Name of Hotel
3	HOTEL_OWNER_NAME	VARCHAR	20	Not Null	Hotel Owner Name
4.	HOTEL_PHONE	bigint	10	Not Null	Hotel Phone Number
5.	HOTEL_LANDLINE	bigint	10	Null	Landline Number
6.	HOTEL_EMAIL	VARCHAR	15	Not Null	Email Address

7.	HOTEL _WEBSIT E	VARC HAR	15	Null	Hotel Website
8.	HOTEL _AREA	VARC HAR	10	Not Null	Hotel Area
9.	HOTEL _ADDRE SS	VARC HAR	60	Not Null	Address

4.1.7 Table Name: Hospitals

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	HOS_NAME	VARCHAR	20	Not Null	Name of Hospital
3	HOS_DOCTOR_NAME	VARCHAR	20	Not Null	Doctor Name
4.	HOS_PHONE	bigint	10	Not Null	Doctor Phone Number
5.	HOS_LANDLINE	bigint	10	Null	Hospital Landline Number
6.	HOS_EMAIL	VARCHAR	15	Not Null	Email Address

7.	HOS _WEBSIT E	VARC HAR	15	Null	Hospital Website
8.	HOS _AREA	VARC HAR	50	Not Null	Hospital Area
9.	HOS ADDRES S	VARC HAR	100	Not Null	Hospital Address

4.1.8 Table Name: Dental Clinic

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	CLINIC_NAME	VARCHAR	20	Not Null	Name of Clinic
3	CLINIC_PERSON_NAME	VARCHAR	20	Not Null	Owner Name
4.	CLINIC_PHONE	bigint	10	Not Null	Phone Number
5.	CLINIC_LANDLINE	bigint	10	Null	Landline Number
6.	CLINIC	VARCHAR	20	Not Null	Email Address

	_EMAIL	HAR			
7.	CLINIC _WEBSI TE	VARC HAR	15	Null	Website
8.	CLINIC _AREA	VARC HAR	20	Not Null	Area
9.	CLINIC _ADDRE SS	VARC HAR	100	Not Null	Address

4.1.8 Table Name: Beauty Parlours

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	PARLOUR_NAME	VARCHAR	50	Not Null	Parlour Name
3	PARLOUR_PERSON_NAME	VARCHAR	50	Not Null	Owner Name
4.	PARLOUR_PHONE	bigint	50	Not Null	Phone Number
5.	PARLOUR_LANDLI	bigint	50	Null	Landline Number

6.	PARLOUR_EMAIL	VARCHAR	10	Not Null	Email Address
7.	PARLOUR_WEBSITE	VARCHAR	10	Null	Website Address
8.	PARLOUR_AREA	VARCHAR	50	Not Null	Parlour Area
9.	PARLOUR_ADDRESS	VARCHAR	100	Not Null	Parlour Address

4.1.9 Table Name: Catering Services

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	CATERING_NAME	VARCHAR	20	Not Null	Catering Service Name
3	CATERING_PERSON_NAME	VARCHAR	15	Not Null	Owner Name
4.	CATERING_PHONE	bigint	10	Not Null	Phone Number
5.	CATERING	bigint	10	Null	Landline Number

	_LANDLINE				
6.	CATERING_EMAIL	VARCHAR	10	Not Null	Email Address
7.	CATERING_WEBSITE	VARCHAR	10	Null	Website address
8.	CATERING_AREA	VARCHAR	50	Not Null	Catering Service Area
9.	CATERING_ADDRESS	VARCHAR	100	Not Null	Catering Service Address

4.1.10 Table Name: Institute and Classes

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	INST_NAME	VARCHAR	15	Not Null	Name
3	INST_PERSON_NAME	VARCHAR	15	Not Null	Owner Name
4.	INST_PHONE	bigint	10	Not Null	Phone Number
5.	INST_LANDLINE	bigint	10	Null	Landline Number

6.	INST _EMAIL	VARC HAR	15	Not Null	Email Address
7.	INST _WEBSI TE	VARC HAR	15	Null	Website
8.	INST _AREA	VARC HAR	10	Not Null	Area
9.	INST _ADDRE SS	VARC HAR	50	Not Null	Address

4.1.11 Table Name: Men's Parlours

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	PARLOUR_NAME	VARCHAR	15	Not Null	Men's Parlour Name
3	PARLOUR_PERSON_NAME	VARCHAR	15	Not Null	Owner Name
4.	PARLOUR_PHONE	bigint	10	Not Null	Phone Number
5.	PARLOUR_LANDLINE	bigint	10	Null	Landline

	UR _LANDL INE				Number
6.	PARLO UR _EMAIL	VARC HAR	15	Not Null	Email Address
7.	PARLO UR _WEBSI TE	VARC HAR	15	Null	Website
8.	PARLO UR _AREA	VARC HAR	20	Not Null	Men's Parlour Area
9.	PARLO UR _ADDRE SS	VARC HAR	100	Not Null	Men's Parlour Address

4.1.12 Table Name: Cafe

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	CAFE_NAME	VARCHAR	15	Not Null	Cafe Name
3	CAFE_PERSON_NAME	VARCHAR	15	Not Null	Owner Name
4.	CAFE_PHONE	bigint	10	Not Null	Phone Number
5.	CAFE_LANDLINE	bigint	10	Null	Landline Number

6.	CAFE _EMAIL	VARC HAR	20	Not Null	Email Address
7.	CAFE _WEBSI TE	VARC HAR	15	Null	Website
8.	CAFE _AREA	VARC HAR	40	Not Null	Cafe Area
9.	CAFE _ADDRE SS	VARC HAR	50	Not Null	Cafe Address

4.1.12 Table Name: Builder and Developers

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	BUILDER_NAME	VARCHAR	20	Not Null	The User First Name
3	BUILDER_PERSON_NAME	VARCHAR	20	Not Null	The User Last Name
4.	BUILDER_PHONE	bigint	10	Not Null	The User Email ID. User can use Email id as a User

					Name
5.	BUILDER _LANDLINE	bigint	10	Null	Landline Number
6.	BUILDER _EMAIL	VARCHAR	15	Not Null	Email Address
7.	BUILDER _WEBSITE	VARCHAR	15	Null	Builder Website
8.	BUILDER _AREA	VARCHAR	20	Not Null	Office Area
9.	BUILDER _ADDRESS	VARCHAR	100	Not Null	Office Address

4.1.13 Table Name: Driving Schools

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	D_SCHOOL_NAME	VARCHAR	20	Not Null	The User First Name
3	D_SCHOOL_PERSON_NAME	VARCHAR	20	Not Null	The User Last Name
4.	D_SCHOOL_PHONE	bigint	10	Not Null	The User Email ID. User can use Email id as a User

					Name
5.	D_SCHOOL_LANDLINE	bigint	10	Null	Landline Number
6.	D_SCHOOL_EMAIL	VARCHAR	15	Not Null	Email Address
7.	D_SCHOOL_WEBSITE	VARCHAR	15	Null	Website
8.	D_SCHOOL_AREA	VARCHAR	50	Not Null	Driving School Area
9.	D_SCHOOL_ADDRESS	VARCHAR	100	Not Null	Driving School Address

4.1.14 Table Name: Banner

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
3	BANNER_PERSON_NAME	VARCHAR	20	Not Null	Advertiser Name
4.	BANNER_PHONE	bigint	20	Not Null	Advertiser Contact Number
5.	BANNER_LANDL	bigint	10	Null	Landline Number

	INE				
6.	BANNER_PERSON_EMAIL	VARCHAR	15	Not Null	Email Address
7.	BANNER_PERSON_AREA	VARCHAR	50	Not Null	Area
8.	BANNER_PERSON_ADDRESS	VARCHAR	100	Not Null	Businessman Address
9.	BANNER	Image		Not Null	Banner Image

4.1.15 Table Name: Home Page Ads

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	ADS_NAME	VARCHAR	20	Not Null	Advertisement Title
3	ADS_PERSON_NAME	VARCHAR	20	Not Null	Advertiser Name
4.	ADS_PHONE	bigint	10	Not Null	Advertiser Contact Number
5.	ADS_LANDLINE	bigint	10	Null	Landline Number

6.	ADS _EMAIL	VARC HAR	15	Not Null	Email Address
7.	ADS _WEBSI TE	VARC HAR	15	Null	Website
8.	ADS _AREA	VARC HAR	50	Not Null	Area
9.	ADS _ADDRE SS	VARC HAR	100	Not Null	Address

4.1.16: Table Name: Blog

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	BLOG_NAME	varchar	20	Not Null	Blog Title
3	EMAIL	varchar	20	Not Null	Writer Email Address
4.	WEBSITE	varchar	15	Not Null	Business Website
5.	COMMENT	varchar	200	Not Null	Blog Description
6.	CLIENT_ID	Int		Foreign key	Primary Key

4.1.17: Table Name: Enquiry

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	ENQUIRY_NAME	varchar	20	Not Null	The User First Name
3	MOBILE_NO	BIGINT	10	Not Null	The User Last Name
4.	WEBSITE	varchar	15	Not Null	
5.	ENQUIRY	varchar	200	Not Null	
6	CUST_ID	Int		Foreign Key	Customer Table Primary Key

4.1.18 Table Name: Rating

Sr. No	Field Name	Data Type	Size	Constraints	Descriptions
1	SR_NO	Int		Primary Key	A unique system-generated number to use as the record identifier.
2	EMAIL_ID	varchar	15	Not Null	Customer user id
3	REVIEW	varchar	50	Not Null	Business Review
4.	RATING	bigint	10	Not Null	Rating
5.	CUST_ID	varchar		Not Null	Customer registration PK

4.2 Data Dictionary:

Sr. No	Field Name	Data Type	Description	Table Name
1.	CUST_ID	int	A unique system-generated number to use as the record identifier.	Customer_R egistration
2.	FIRST_NAME	Varchar	The User First Name	Customer_R egistration
3.	LAST_NAME	Varchar	The User Last Name	Customer_R egistration
4.	EMAIL_ID	Varchar	The User Email ID. Send User Name and Password throw this Email ID	Customer_R egistration
5.	PASSWORD	Varchar	Login Password	Customer_R egistration
6.	MOBILE_NO	bigint	User/Client Mobile Number	Customer_R egistration
7.	SECRETE_MOBILE_NO	bigint	This Mobile Number Use For recover User-	Customer_R egistration

			Id and Password	
8.	LOCATION	Varchar	Client/Customer Location	Customer_Registration
9.	CLIENT_ID	Int	A unique system-generated number to use as the record identifier.	Client_Registration
10.	FIRST_NAME	Varchar	The User First Name	Client_Registration
11.	LAST_NAME	Varchar	The User Last Name	Client_Registration
12.	EMAIL_ID	Varchar	The User Email ID. Send User Name and Password throw this Email ID	Client_Registration
13.	PASSWORD	Varchar	Login Password	Client_Registration
14.	MOBILE_NO	bigint	User/Client Mobile Number	Client_Registration

15.	SECRETE_MOBILE_NO	bigint	This Mobile Number Use For recover User-Id and Password	Client_Regi stration
16.	LOCATION	Varchar	Client/Customer Location	Client_Regi stration
17.	ADMIN_ID	int	A unique system-generated number to use as the record identifier.	Admin_Log in
18.	ADMIN_MOBILE_NO	Varchar	Admin Mobile Number for Login	Admin_Log in
19.	ADMIN_PASSWORD	Varchar	Admin Password for Login	Admin_Log in
20.	AD_ID	Int	A unique system-generated number to use as the record identifier.	Post_Free_ Ad
21.	AD_TITLE	Varchar	The User First Name	Post_Free_ Ad
22.	AD_SERVICE	Varchar	The User Last Name	Post_Free_

	1			Ad
23.	AD_SERVICE 2	Varchar	The User Email ID. User can used Email id as a User Name	Post_Free_ Ad
24.	AD_SERVICE 3	Varchar	Business Services	Post_Free_ Ad
25.	AD_SERVICE 4	Varchar	Business Service	Post_Free_ Ad
26.	AD_SERVICE 5	Varchar	Business Service	Post_Free_ Ad
27.	AD_SERVICE 6	Varchar	Business Service	Post_Free_ Ad
28.	AD_PHOTO	Image	Business Images	Post_Free_ Ad
29.	AD_AREA	Varchar	Business Area	Post_Free_ Ad
30.	AD_ADDRESS	Varchar	Business Address	Post_Free_ Ad
31.	AD_DESCRIP TION	Varchar	Business Description	Post_Free_ Ad

32.	AD_TEL_NO	Bigint	Business Office Telephone Number	Post_Free_Ad
33.	AD_MOBILE	Bigint	Business Office Mobile Number	Post_Free_Ad
34.	AD_EMAIL	Varchar	Business Email ID	Post_Free_Ad
35.	AD_WEBSITE	Varchar	Business Website	Post_Free_Ad
36.	CLIENT_ID	INT	Client Registration Table Primary Key	Post_Free_Ad
37.	SR_NO	Int	A unique system-generated number to use as the record identifier.	A unique system-generated number to use as the record identifier.
38.	TRAVEL_NAME	VARCHAR	The User First Name	The User First Name
39.	TRAVEL_OWNER_NAME	VARCHAR	The User Last Name	The User Last Name

40.	TRAVEL_PHONE	bigint	The User Email ID. User can used Email id as a User Name	The User Email ID. User can used Email id as a User Name
41.	TRAVEL_LANDLINE	bigint	Landline Number	Landline Number
42.	TRAVEL_EMAIL	VARCHAR	Email Address	Email Address
43.	TRAVEL_WEBSITE	VARCHAR	Agency Website	Agency Website
44.	TRAVEL_AREA	VARCHAR	Travel Agency Area	Travel Agency Area
45.	TRAVEL_ADDRESS	VARCHAR	Travel Agency Address	Travel Agency Address
46.	SR_NO	Int	A unique system-generated number to use as the record identifier.	BANNER

47.	BANNER_PERSON_NAME	VARC HAR	Advertiser Name	BANNER
48.	BANNER_PERSON_PHONE	bigint	Advertiser Contact Number	BANNER
49.	BANNER_PERSON_LANDLINE	bigint	Landline Number	BANNER
50.	BANNER_PERSON_EMAIL	VARC HAR	Email Address	BANNER
51.	BANNER_PERSON_AREA	VARC HAR	Area	BANNER
52.	BANNER_PERSON_ADDRESS	VARC HAR		BANNER
53.	BANNER	Inage		BANNER
	SR_NO	Int	A unique system-generated number to use as the record identifier.	Home_Page_Ad
54.	ADS_NAME	VARC HAR	Advertisement Title	Home_Page_Ad

55.	ADS_PERSON_NAME	VARCHAR	Advertiser Name	Home_Page_Ad
56.	ADS_PHONE	bigint	Advertiser Contact Number	Home_Page_Ad
57.	ADS_LANDLINE	bigint	Landline Number	Home_Page_Ad
58.	ADS_EMAIL	VARCHAR	Email Address	Home_Page_Ad
59.	ADS_WEBSITE	VARCHAR	Website	Home_Page_Ad
60.	ADS_AREA	VARCHAR	Area	Home_Page_Ad
	ADS_ADDRESS	VARCHAR	Address	Home_Page_Ad
61.	SR_NO	Int	A unique system-generated number to use as the record identifier.	Blog
62.	BLOG_NAME	varchar	Blog Title	Blog

63.	EMAIL	varchar	Writer Email Address	Blog
64.	WEBSITE	varchar	Business Website	Blog
65.	COMMENT	varchar	Blog Description	Blog
66.	CLIENT_ID	Int	Client Table Primary Key	Blog
67.	ENQUIRY_NAME	varchar	The User First Name	Enquiry
68.	MOBILE_NO	BIGINT	The User Last Name	Enquiry
69.	WEBSITE	varchar		Enquiry
70.	ENQUIRY	varchar		Enquiry
71.	CUST_ID	Int	Customer Table Primary Key	Enquiry
72.	EMAIL_ID	varchar	Customer user id	Rating
73.	REVIEW	varchar	Business Review	Rating
74.	RATING	int	Rating	Rating
75.	CUST_ID	varchar	Customer registration PK	Rating

76.	HOSPITAL_NAME	VARCHAR	Name of Hospital	
77.	HOSPITAL_DOCTOR_NAME	VARCHAR	Doctor Name	
78.	HOSPITAL_PHONE	bigint	Doctor Phone Number	Hospital
79.	HOSPITAL_LANDLINE	bigint	Hospital Landline Number	Hospital
80.	HOSPITAL_EMAIL	VARCHAR	Email Address	Hospital
81.	HOSPITAL_WEBSITE	VARCHAR	Hospital Website	Hospital

5. Screen Shots

5.1 Input Screen:

5.1.1 SignUp

localhost:23967/Pune_Biz/Register_Bussiness_and_buySell.aspx

pune Biz Sign In

Create your PuneBiz Account

One account is all you need
A single username and password gets you into everything PuneBiz.

PuneBiz Buy / Sell

Name
First Name Last Name

Email Id

Create a password

Confirm your password

Mobile Phone

Mobile Phone (this number is used only your Security purpose)

Report1.png Report2.png Show all downloads...

13-05-2014


5.1.2 Sign Up Validation:

The screenshot displays a web browser window with the URL `localhost:23967/Pune_Biz/Register_Business_and_buySell.aspx`. The page features a header with the text "One account is all you need" and a sub-header "A single username and password gets you into everything PuneBiz." Below this, there are two promotional images: "PuneBiz Buy / Sell" showing red cubes with "BUY" and "SELL" text, and "Business Listings" showing a group of stylized figures around a table. The main content area is a registration form with the following fields and elements:

- Name:** Two input fields for "First Name" and "Last Name".
- Email Id:** A text input field containing "dggangurde9@gmail.com".
- Create a password:** A text input field with a password strength indicator.
- Confirm your password:** A text input field for password confirmation.
- Mobile Phone:** A text input field.
- Mobile Phone (This number is used only your Security purpose):** A text input field containing "9011269717".
- Location:** A text input field.
- Agreement:** A checkbox labeled "I agree to PuneBiz Terms of Services".
- Register:** A green button to submit the registration form.

The browser's taskbar at the bottom shows several open windows, including "Report1.png" and "Report2.png", and a system tray with the date "13-05-2014" and time "23:55".

5.1.3 Login:



5.1.4 Login Validation:



5.1.5 Post Free Ads:

The screenshot shows a web browser window with the URL `localhost:23967/Pune_Biz/Business_Register.aspx`. The page features the PuneBiz logo and a search bar. Below the search bar is a form titled "Post a Free Classified Ad". The form includes a "Chosen category" dropdown menu, an "Ad Title" text box, and a "Services" section with six input fields labeled "Service 1" through "Service 6". A "Photos" section contains a "Choose File" button and a "No file chosen" status. To the left of the form are four thumbnail images: a building, a plate of food, a logo for "Puresh Men's Salon", and a group of people. A red text box on the right side of the form provides instructions: "Insert photos in just 3 clicks. Ads with photos sell up to 5X more!", "Use original photos to set your Ad apart.", "Avoid using low-light photos.", and "Accepted formats are .jpg, .gif and .png". The Windows taskbar at the bottom shows the date and time as 14-05-2014, 00:16.

localhost:23967/Pune_Biz/Business_Register.aspx

PuneBiz

PUNE • CAMP • Enter Product / Service to Search **Search**

Post a Free Classified Ad

Chosen category:

Ad Title:

Services:

Service 1 Service 2 Service 3

Service 4 Service 5 Service 6

Photos: No file chosen

Insert photos in just 3 clicks. Ads with photos sell up to 5X more!

Use original photos to set your Ad apart.

Avoid using low-light photos.

Accepted formats are .jpg, .gif and .png.

Report1.png Report2.png Show all downloads...

14-05-2014 00:16

5.1.6 Post Free Ads Validation:

localhost:23967/PuneBiz/Business_Register.aspx

Enter Product / Service to Search

Search

Denplan
At the heart of dental care

Area: Pune

Address: Camp

Describe what makes your ad unique: Provide key information like... \n Product Specification \n Product feature \n Any special requirements

Telephone No: 020123456

Contact No: 9011289717

Email ID: dggangurde99@gmail.com

Website:


POST Image is not Upload

About Us | About Us | Contact Us | Listing Policy | Terms & Use | Privacy Policy | Careers | Advertise With Us | Blog | Help

Report1.png Report2.png

14-05-2014

5.1.7 Send Query throw Mail:



5.1.8 Send Enquiry:

The screenshot displays the PuneBiz Portal interface. A modal form titled "Fill this form and get best deals on Bus Services" is centered on the screen. The form contains the following fields and elements:

- Your Name:** A text input field containing "Dnyaneshwar".
- Your Mobile Number:** A text input field containing "9011289717".
- Your Email ID:** An empty text input field.
- Submit:** A button located below the email field.

Below the form, there is a small image of a man pointing and a list of four bullet points:

- Your requirement is sent to select relevant businesses
- Businesses compete with each other to get you the Best
- You choose whichever suits you best
- Contact Info sent to you by SMS/Email

The background of the portal shows a navigation bar with links like "Join Us For Free!!", "Sign In", "My PuneBiz", "Mobile No: 9011289717", "Post Free Ad", and "Help". Below this, there are sections for "Home - Tours and Travels", "Sort Results By", and "By Locations". The Windows taskbar at the bottom shows various application icons and the system clock indicating 00:21 on 14-05-2014.


5.1.9 Share Ads With Social Sites:



5.1.10 Searching Facility:



5.1.11 Blog:




5.1.12 Update Ads:

The screenshot shows a web browser window with the PuneBiz Portal interface. A modal form titled "Update Information" is open, allowing a user to update an advertisement. The form contains the following fields:


- Ad Title:** Setguru Travels
- Area:** Camp
- Address:** Wanowarie
- Describe what makes your ad unique:** (Empty text area)
- Telephone No:** 960332266
- Contact No:** 960332266
- Email ID:** suashil.kalyani@satgurutravel.com
- Website:** www.satgurutravel.com

Below the form fields is an orange "Update" button. The background of the portal shows a listing for "Setguru Travels" with a star rating and a "View Ad" button. The browser's address bar shows the URL: `localhost:23967/PuneBiz/Ads/Travels/tel_display_rating.aspx`. The Windows taskbar at the bottom shows the system clock as 22:44 on 02-03-2014.

5.1.13 Admin Login:



5.1.14 Post Ads. Throw Admin Panel:




5.2 Output Screen:


5.2.1 Home Screen:




5.1.2 Business Registration:



5.1.3 Business Registered Details:



5.1.4 Display Ads Details On admin Panel



Hotels.xlsx


SR NO	NAME	OWNER NAME	CONTACT	LANDLINE	EMAIL ID	WEBSITE	Area	ADD
1	Bhagyashree Executive			60609797				Near Amanora Township, Behind Suzo, Tupenagar Hadapsar, Pune
2	China Mirchi		9226093453			www.chinamirchi.com		21 Bizz Bay Mall NIBM Road Pune N.I.B.M, Pune - N.I.B.M.
3	The Lebanese Cafe		9960363476	9021976447				Pamar pavan behind dominos pizza near jyoti restaurant, Kondhwa Rd pune Kondhwa, Pune
	Tra Trade Of							4th 6, Kinkor industrial estate

5.1.5 Restaurants:



5.3 Reports:

5.3.1 Customer Profile:



REG ID	FIRST NAME	LAST NAME	EMAIL ID	MOBILE NO	LOCATION
18	DANNY	GANGURDE	dgangurde99@gmail.com	9011289717	CAMP
26	Tausif	Kazi	tausifk22@gmail.com	9860678682	Pune
27	DANNY	Pagar	dgangurde99@gmail.com	9011289717	CAMP
28	Tausif	Kazi	tausifk22@gmail.com	9011289717	Pune
29	ABC	PQR	tausifk22@gmail.com	1234567891	Nashik
30	DANNY	GANGURDE	dgangurde99@gmail.com	9011289717	camp
31	DNYANESHWAR	GANGURDE	dgangurde99@gmail.com	9011289717	Pune

5.3.2 Dental Clinic Reports:



SR NO	CLINIC NAME	CLINIC OWNER NAME	CLINIC PHONE	CLINIC LANDLINE	CLINIC EMAIL	CLINIC WEBSITE	CLINIC AREA	CLINIC ADDRESS
1	Dr Khanna Dental Clinic	Dr Ankit Khanna	9823750456	020-64000290	drankit_khanna80@yahoo.co.in	www.dentaltourismpune.com	Hadapsar	Aundh, Wanowale
2	Dr Khanna Dental Clinic	Dr Ankit Khanna	 	020-65005774	drankit_khanna80@yahoo.co.in	www.dentaltourismpune.com	Hadapsar	 Viman Nagar, Mohammadwadi
3	Mohitara Hospital	Dr Kiran Shah	2026616441	020-36823297	wmf_mi@yahoo.com	 	Hadapsar	Hadapsar
4	Dr Mahesh Pavar Dental Clinic	 	9766310757	 	 	 	Hadapsar	Hadapsar
5	Anushri Dental Clinic	Dr. Vaishali Kanade	 	020-26990322	vaishalinemane@yahoo.com	 	Hadapsar	Hadapsar
6	Dr. Kulkhe Superspeciality Dental Clinic	Dr. Manoj Kulkhe	9921436415	 	 	 	Hadapsar	Hadapsar
7	Hadapsar Dental Clinic	Dr. Kiran Khopade	9890976506	30112999	 	 	Hadapsar	Hadapsar
8	Dr. Ashwini Dalvis Om Dental Clinic	om Dental Clinic	9822612797	 	 	 	Hadapsar	Hadapsar
9	Smile Avenue	Dr. Aniket Kugaonkar	7387784908	 	 	 	Hadapsar	Hadapsar

5.3.3 Hotels Reports:



SR NO	HOTEL NAME	HOTEL OWNER NAME	HOTEL PHONE	HOTEL LANDLINE	HOTEL EMAIL	HOTEL WEBSITE	HOTEL AREA	HOTEL ADDRESS
1	Bhagyashree Executive			60609797			PUNE	
2	China Mirchi		9226693453			www.chinamirchi.com	PUNE	
3	The Lebanese Cafe		9960263476	9021976447			PUNE	
4	Toi Taste Of India		9975191725				PUNE	
5	Chang Chinese Restaurant			40027763			PUNE	
6	Kareems Restaurant			32662220			PUNE	
7	Authentic Mughla Cuisine						PUNE	
8	Suresh Inn		9011066165		enquiry@sureshinn.com	www.sureshinn.com	PUNE	
9	Manisha Service Apartments				manisha.serv.apts@gmail.com	www.manishaserviceapartments.com	PUNE	
10	Lemon Tree Hotel		9970170795				PUNE	

6. Test Procedure:

UNIT TESTING:

In this, different modules are tested against the specifications produced during design for the modules. Unit testing is essentially for the verification of the code produced during the coding phase. This is done by both of us by considering that a module can be used by others only after it has been unit tested satisfactorily. Due to its close association with coding, the coding phase is frequently called “coding and unit testing”.

INTEGRATION TESTING:

In this, many unit tested modules are combined into subsystems, which are then tested. The main goal here is to see if the modules can be integrated properly. Hence, our emphasis is on testing interfaces between modules. Thus, this testing activity can be considered testing the design.

SYSTEM TESTING AND ACCEPTANCE TESTING:

Here the entire software system is tested. The reference document for this purpose is the requirements document and the goal is to see if the software meets its requirements. This is essentially a validation exercise, and in many situations it is only validation activity. Acceptance testing is sometimes performed with realistic data of the client to demonstrate that software is working satisfactory. Testing here focuses on the external.

6.1 Test Cases: Login

SR. NO	TEST CASE ID	Check Item	Test Case Objective	Steps of Execution	Test Data/ Input	Expected Result
1	TC-001	Log-in Page	Leave all fields as blank and click Log-in button	Click Log-in		By leaving all fields as blank and on click Log-in button then mandatory symbol (*) should appear in front of Username and Password fields
2	TC-002	Username	Enter Invalid Username	NA	Username : Jackk	By entering invalid Username then an error

						message should appear as " Please Enter Valid Username "
3	TC-003	Username	Enter valid Username	NA	Username : Jack	It should allow the user to proceed
4	TC-004	Password		NA		The password field should display the encrypted format of the text typed as (****)
5	TC-005	Password	Enter wrong password	NA	Password : ***	By entering invalid password then an

						error message should appear as " Please Enter Correct Password "
6	TC-006	Password	Enter Correct password	NA	Password : **** ***	It should allow the user to proceed
7	TC-007	Log-in button	Correct Inputs	Click Log-in		It should lead the user to the respect page
8	TC-008	Forgot Password	Check hyperlink on Forgot Password label			while mouse over of the label an hand icon should

						display
9	TC-009	Forgot Password		Click Forgot Password		User can recover the password using the "Forgot Password" link page
10	TC-010	Registration	Check hyperlink on Registration label			while mouse over of the label an hand icon should display
11	TC-011	Registration		Click Registration		On click "Registration" page should redirect to the User Registration p

6.2 Test Case: Registration form:

SR. NO	TEST CASE ID	Check Item	Test Case Objective	Steps of Execution	Test Data/ Input	Expected Result
1	TC-001	Registration Page	Leave all fields as blank and click Registration button	Click Register		By leaving all fields as blank and on click Log-in button then mandatory symbol (*) should appear in front of All fields
2	TC-002	First/last Name	Enter Invalid Name	Click Next Field	Danny123	By entering invalid Name then an error message should appear as " * "

3	TC-003	First/Last Name	Enter valid Username	NA	danny	It should allow the user to proceed
4	TC-004	Email	Enter Invalid Email	Click Next Field	Danny123@@gmail.com	By entering invalid Name then an error message should appear as " * "
5	TC-005	Email	Enter valid Email	NA	danny@gmail.com	It should allow the user to proceed
4	TC-004	Password		NA		The password field should display the encrypted format of

						the text typed as (****)
5	TC-005	Password	Enter wrong password	NA	Password : ***	By entering invalid password then an error message should appear as " Please Enter Correct Password "
6	TC-006	Password	Enter Correct password	NA	Password : **** ***	It should allow the user to proceed
7	TC-007	Mobile No	Enter Invalid number	Click Next Field	D123456789!	By entering invalid Number

						then an error message should appear as " * "
8	TC-008	Mobil e No	Enter valid Number	NA	9011 2897 17	It should allow the user to proceed

6.3 Test Case: Post Advertisement

SR. NO	TEST CASE ID	Check Item	Test Case Objective	Steps of Execution	Test Data/ Input	Expected Result
1	TC-001	Post Advertisement	Leave all fields as blank and click Registration button	Click Register		By leaving all fields as blank and on click Log-Submit button then mandatory symbol (*) should appear in front of All fields
2	TC-002	Advertisement Pictures	Leave Empty Fields	Click Submit Buttons		By empty image then an error message should "Upload Image"

6.4 Test Case: Admin Post Advertisement:

SR. NO	TEST CASE ID	Check Item	Test Case Objective	Steps of Execution	Test Data/ Input	Expected Result
1	TC-001	Post Advertisment(Upload ExcelSheet)	Leave Empty	Click Upload		By leaving fields click Upload-button then Generate Message
2	TC-002	Post Advertisment(Upload ExcelSheet)	Attached ExcelSheet	Click Upload		Display Message Advertisement Address Sucessfully

7.1 Result and Conclusion

Using this portal it becomes easy for the buyer and seller to sell what they have without any broker or agent.

Also it becomes very easy to business people to show starcast and advertise their business online anywhere which makes their awareness and give next level to business.

PuneBiz portal based on the new idea and new system, as per the demand and the need of the clients and customers. It helps to protect the information of client which make them feel more secure. Its a user friendly Portal so anybody can access the website easily. The search process is easy so it consume less time as compare to other portals.

7.2 Limitations Of System:

- Advertisement is for specific city
- Buying and selling for particular area
- Enquiries if registered with PuneBiz
- No enquiries through mail restrictions applicable.
- SMS send to registered users only
- Mails send to registered users only

7.3 Future Scope:

No system is complete. It requires changes as and when user demands a new feature.

Also there are some aspects where the system can be always improved upon.

Thus the new system leaves chances for further improvements which can be described as follows:

- User can send enquiries without registration and sign in
- Enquiries to be send to all the enquired customers and clients.
- SMS to be send to all the enquired customers and client's
- Privacy to be added for customer's and client's
- Portal will highlight genuine details to customers.

8. User Manual

User can view the system by typing correct URL on its browser's address bar. Firstly visitor has to fill Registration and then login form and click to Login button. Then start customer browse the information, if client want to Business then he send email to the company email address.

8.1 Home Page:

- Click to open the **Business Listings Buttons**.
- Click for Signup or Register to PuneBiz Portal.
- Click for Login if you are already Registered.
- Enter The Area Name for searching the Business or product Advertisement
- Enter product name for Search
- Select Advertisement Category

8.2 Sign Up Page:

- Enter your valid Address or Mobile Number
- Enter your password for puneBiz Account
- Enter Your All Details.
- Check for accept terms and conditions of PuneBiz Portal
- Click on register button after entering All details

8.3 Sign In Page:

- Enter your registered Email address or Mobile Number.
- Enter the valid password
- Click on button for Login

8.4 Category Page:

- Enter Area Name for searching Business.
- Sort Business by Latest listing , Rating etc.
- Send Enquiry for particular business.
- Share ads with social websites.
- Upload Photo Gallery
- Update Profile on clicking update Buttons.
- Write Blog for Clicking Blog Menu

8.5 Category Details:

- Display all Business Details.
- Give Rating for clicking rating icons.
- Click on map buttons to display graph of locations
- Click on Review for read product review

9. Bibliography:

While analyzing and developing this system, the books we referred are as follows:

Sr. No.	Book Name	Topic Name	Author	Publication
1	Programming With C#	Namespaces, Delegates. Multiple Delegates.	V. Ramakrushna Rao	Pearson
2	Microsoft SQL server 2008 Programming	Joins, multiple Queries, Database Handling.	Robert Viera	Wrox
3	UML 2.0	UML Diagram, Class Diagram, Sequence etc..	Scott W. Ambler	Tata McGraw-Hill
4	Beginning Asp .Net	Connection with Backend, Save record into	Imar Spaanjaars	Wrox

Web Sites.

- http://www.w3schools.com/aspnet/aspnet_examples.asp
- <http://www.wrox.com/WileyCDA/Section/Free-Code-Downloads-for-Programmers-ASP-NET-C-Javascript-and-More-.id-105127.html>
- <http://msdn.microsoft.com/en-us/library/bb397926.aspx>

Business Registration Module Code

```
<%@ Page Title="" Language="C#"
MasterPageFile=~\Business_Travels.master"
AutoEventWireup="true" CodeFile="Business_Travels.aspx.cs"
Inherits="Default2" %>
<%@ Register Assembly="AjaxControlToolkit"
Namespace="AjaxControlToolkit" TagPrefix="cc1" %>
<%@ Register Assembly="AjaxControlToolkit"
Namespace="AjaxControlToolkit" TagPrefix="asp" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head"
Runat="Server">
    <script src="//platform.linkedin.com/in.js"
type="text/javascript">lang: en_US</script><script
type="IN/Share" data-counter="right"></script>
    <style type="text/css">
        .modalBackground
        {
            background-color: Black;
            filter: alpha(opacity=90);
            opacity: 0.8;
        }
        .modalPopup
        {
            background-color: #FFFFFF;
            border-width: 3px;
            border-style: solid;
            border-color: black;
```

```
        padding-top: 10px;
        padding-left: 10px;
        width: 300px;
        height: 140px;
    }
    #form1
    {
        height: 544px;
    }
    #TextArea1
    {
        height: 34px;
    }
</style>
<script
src="http://ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery
.min.js">

<script src="js/jquery-1.3.1.min.js"></script>

<script>
function fun()
{
    $("#div1").toggle("slow");
}
function fun1() {
    $("#div2").toggle("slow");
}
function fun2() {
    $("#div3").toggle("slow");
}
function fun3() {
    $("#div4").toggle("slow");
}
function fun4() {
    $("#div5").toggle("slow");
}
function fun5() {
    $("#div6").toggle("slow");
}
function fun6() {
    $("#div7").toggle("slow");
}
function fun7() {
    $("#div8").toggle("slow");
}
function fun8() {
    $("#div9").toggle("slow");
}
```

```

    }
    function fun9() {
        $("#div10").toggle("slow");
    }
    function fun10() {
        $("#div15").toggle("slow");
    }
    function fun11() {
        $("#div16").toggle("slow");
    }
    function fun12() {
        $("#div19").toggle("slow");
    }
    function fun13() {
        $("#div20").toggle("slow");
    }
    function fun14() {
        $("#div23").toggle("slow");
    }
    function fun15() {
        $("#div24").toggle("slow");
    }
    function fun16() {
        $("#div27").toggle("slow");
    }
    function fun17() {
        $("#div28").toggle("slow");
    }
    function fun18() {
        $("#div31").toggle("slow");
    }
    function fun19() {
        $("#div32").toggle("slow");
    }
}
</script>
<script src="https://apis.google.com/js/plusone.js"></script>

</asp:Content>
<asp:Content ID="Content2"
ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">

    <div class="Block1">
    <div class="imageBlock">
        <a href="Travels/tours.jpg" class="pirobox_gal1"
title="RedBus Travels"></a>
    </div>

```

Page 116

Page 117

```

        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:Label ID="Label27" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Mobile"></asp:Label>
        </div>
    </div>
    <div class="js_mail_control">
        <div style="height: 40px">
            <textarea id="TextArea1" cols="28"
name="S1"></textarea>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox7" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox8" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="text-align: center">
            <asp:Button ID="Button2" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div2" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
                Text="Facebook"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

```

```

        </div>
        <div class="js_share_twitter">
            <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
            Text="Twitter"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button9" runat="server"
BackColor="Black" ForeColor="White"
            Text="Google +"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
</div>

<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton8" runat="server"
            ImageUrl="~/Travels/travel1.jpg" Width="150px"
Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
    </div>
    <div class="infoBlock">
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image10" runat="server"
ImageUrl="~/PuneBiz/like1.jpg"
                Height="20px" Width="20px"/>
            </div>
            <div class="smallDesc">
                <asp:HyperLink ID="HyperLink6" runat="server"
NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
            >
            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">

```

```

        &nbsp;&nbsp;&nbsp;</div>
        <div class="smallDesc">
            <asp:ImageButton ID="ImageButton9"
runat="server"
                ImageUrl="~/Images/rating.jpg"
Height="20px" />
        </div>
    </div>
    <div style="height: 24px">
        <div class="smallImage">
            <asp:Image ID="Image11" runat="server"
ImageUrl="~/PuneBiz/calling1.jpg"
                Height="20px" Width="20px" />
        </div>
        <div class="smallDesc">
            <asp:Label ID="Label5" runat="server"
Text="Label"></asp:Label>
        </div>
    </div>
    <div style="height: 24px">
        <div class="smallImage">
            <asp:Image ID="Image12" runat="server"
ImageUrl="~/PuneBiz/home1.jpg"
                Height="20px" Width="20px" />
        </div>
        <div class="smallDesc">
            <asp:Label ID="Label6" runat="server"
Text="Label"></asp:Label>
            &nbsp;&nbsp;&nbsp;<asp:HyperLink ID="HyperLink7"
runat="server"
NavigateUrl="~/Business_Travels.aspx">More...</asp:HyperLink>
        </div>
    </div>
    <div style="height: 24px">
        <div class="smallImage"> &nbsp;&nbsp;&nbsp;</div>
        <div class="smallDesc">
            <asp:Label ID="Label7" runat="server"
style="font-style: italic"
                Text="Bus Services for" Font-
Size="Small"></asp:Label>
            &nbsp;&nbsp;&nbsp;<asp:Label ID="Label8"
runat="server" Text="Pune"
                style="font-style: italic" Font-
Size="Small"></asp:Label>
            ,<asp:HyperLink ID="HyperLink8"
runat="server" style="font-style: italic"

```

Page 121

```

        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:Label ID="Label24" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Mobile"></asp:Label>
        </div>
    </div>
    <div class="js_mail_control">
        <div style="height: 40px">
            <textarea id="TextArea2" cols="28"
name="S1"></textarea>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox4" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox5" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="text-align: center">
            <asp:Button ID="Button1" runat="server"
Text="Send" /></div>
        </div>
    </div>
    <!-- Upload Photo -->
    <div id="div4" style="width:750px; height:30px; border:2px
solid red; display:none;">
        <div class="js_share_info">
            <div class="js_share_facebook">
                <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
                <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21 scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

```

```

        </div>
        <div class="js_share_twitter">
            <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button3" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
</div>
<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton15" runat="server"
ImageUrl="~/Travels/travel2.jpg" Width="150px"
Height="150px" style="border-radius: 10px 10px 10px 10px;" />
    </div>
    <div class="infoBlock">
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image7" runat="server"
ImageUrl="~/PuneBiz/like2.jpg"
Height="20px" Width="20px" />
            </div>
            <div class="smallDesc">
                <asp:HyperLink ID="HyperLink11" runat="server"
NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
>

            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">
                &nbsp;</div>
            <div class="smallDesc">

```

Page 125

```

        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:Label ID="Label30" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Mobile"></asp:Label>
        </div>
    </div>
    <div class="js_mail_control">
        <div style="height: 40px">
            <textarea id="TextArea3" cols="28"
name="S1"></textarea>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox6" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox9" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button10" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div6" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
                Text="Facebook"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

```

```

    </div>
    <div class="js_share_twitter">
        <%--<asp:Button ID="Button8" runat="server"
        BackColor="Black" ForeColor="White"
            Text="Twitter"

            style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
        <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

    </div>
    <div class="js_share_googleplus">
        <asp:Button ID="Button11" runat="server"
        BackColor="Black" ForeColor="White"
            Text="Google +"

            style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
    </div>
</div>
</div>
<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton4" runat="server"
            ImageUrl="~/Travels/travel2.jpg" Width="150px"
Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
    </div>
    <div class="infoBlock">
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image5" runat="server"
ImageUrl="~/PuneBiz/like3.jpg"
                    Height="20px" Width="20px"/>
            </div>
            <div class="smallDesc">
                <asp:HyperLink ID="HyperLink2" runat="server"
NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
>

            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">
                &nbsp;</div>
            <div class="smallDesc">

```

Page 130

Page 132

```

        <asp:Label ID="Label137" runat="server" Font-
Size="Small"
        style="font-weight: 700"
Text="Mobile"></asp:Label>
    </div>
</div>
<div class="js_mail_control">
    <div style="height: 40px">
        <textarea id="TextArea4" cols="28"
name="S1"></textarea>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox10" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox11" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
</div>
<div style="text-align: center">
    <asp:Button ID="Button8" runat="server"
Text="Send" /></div>
</div>

<!-- Upload Photo -->
<div id="div8" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button16" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button17" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_googleplus">

```

```

        <asp:Button ID="Button18" runat="server"
BackColor="Black" ForeColor="White"
        Text="Google +"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<!-- End Upload Photo -->
<div class="pageline">
<div id="div11" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label45" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label46" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label47" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea6" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox14" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox15" runat="server"
Width="242px" Height="20"></asp:TextBox>

```

```

        </div>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button12" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div12" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

        </div>
        <div class="js_share_twitter">
            <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button13" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>

```

```

</div>
</div>
<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton7" runat="server"
            ImageUrl="~/Travels/travel2.jpg" Width="150px"
            Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
        </div>
        <div class="infoBlock">
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image20" runat="server"
                        ImageUrl="~/PuneBiz/like4.jpg"
                        Height="20px" Width="20px"/>
                </div>
                <div class="smallDesc">
                    <asp:HyperLink ID="HyperLink20" runat="server"
                        NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
                    >
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    &nbsp;  </div>
                <div class="smallDesc">
                    <asp:ImageButton ID="ImageButton10"
                        runat="server"
                        ImageUrl="~/Images/rating.jpg"
                        Height="20px" />
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image21" runat="server"
                        ImageUrl="~/PuneBiz/calling4.jpg"
                        Height="20px" Width="20px" />
                </div>
                <div class="smallDesc">
                    <asp:Label ID="Label38" runat="server"
                        Text="Label"></asp:Label>
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image22" runat="server"
                        ImageUrl="~/PuneBiz/home4.jpg"
                        Height="20px" Width="20px" />

```

Page 137

```

        <br />
        <br />
        <asp:Button ID="Button19" runat="server" Text="SMS/
Email" Width="103px"
        onclick="Button5_Click"/>
    </div>

</div>
<div id="div9" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label42" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label43" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label44" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea5" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox12" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox13" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
        </div>
        <div style="text-align: center">

```

```

        <asp:Button ID="Button20" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div10" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button21" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button22" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button23" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<div class="pageline">
<div id="div13" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label48" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label49" runat="server" Font-
Size="Small"

```

```

                                style="font-weight: 700"
Text="Email"></asp:Label>
</div>
<div style="height: 20px; margin:10px 0px 0px
0px;">
                                <asp:Label ID="Label50" runat="server" Font-
Size="Small"
                                style="font-weight: 700"
Text="Mobile"></asp:Label>
                                </div>
</div>
<div class="js_mail_control">
    <div style="height: 40px">
        <textarea id="TextArea7" cols="28"
name="S1"></textarea>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox16" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox17" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
</div>
<div style="text-align: center">
    <asp:Button ID="Button14" runat="server"
Text="Send" /></div>
</div>

<!-- Upload Photo -->
<div id="div14" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;

```

```

overflow:hidden; height:21px; width:50px;"
allowTransparency="true"></iframe>

</div>
<div class="js_share_twitter">
    <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
    Text="Twitter"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
        <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

    </div>
<div class="js_share_googleplus">
    <asp:Button ID="Button15" runat="server"
BackColor="Black" ForeColor="White"
    Text="Google +"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
    </div>
</div>
</div>
<!-- End Upload Photo -->
<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton11" runat="server"
            ImageUrl="~/Travels/travel2.jpg" Width="150px"
Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
    </div>
    <div class="infoBlock">
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image23" runat="server"
ImageUrl="~/PuneBiz/like5.jpg"
                    Height="20px" Width="20px"/>
            </div>
            <div class="smallDesc">
                <asp:HyperLink ID="HyperLink4" runat="server"

NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
>

            </div>
        </div>
    </div>

```

```

        <div style="height: 24px">
            <div class="smallImage">
                &nbsp;</div>
            <div class="smallDesc">
                <asp:ImageButton ID="ImageButton13"
runat="server"
                    ImageUrl="~/Images/rating.jpg"
Height="20px" />
            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image24" runat="server"
ImageUrl="~/PuneBiz/calling5.jpg"
                    Height="20px" Width="20px" />
            </div>
            <div class="smallDesc">
                <asp:Label ID="Label51" runat="server"
Text="Label"></asp:Label>
            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image25" runat="server"
ImageUrl="~/PuneBiz/home5.jpg"
                    Height="20px" Width="20px" />
            </div>
            <div class="smallDesc">
                <asp:Label ID="Label52" runat="server"
Text="Label"></asp:Label>
                &nbsp;&nbsp;&nbsp;<asp:HyperLink ID="HyperLink10"
runat="server"
NavigateUrl="~/Business_Travels.aspx">More...</asp:HyperLink>
            </div>
        </div>
        <div style="height: 24px">
            <div class="smallImage">
                &nbsp;</div>
            <div class="smallDesc">
                <asp:Label ID="Label53" runat="server"
style="font-style: italic"
Text="Bus Services for" Font-
Size="Small"></asp:Label>
                &nbsp;<asp:Label ID="Label54" runat="server"
Text="Pune"
style="font-style: italic" Font-
Size="Small"></asp:Label>

```

```
<div style="height: 20px; margin:10px 0px 0px
0px;">
    <asp:Label ID="Label57" runat="server" Font-
Size="Small"
        style="font-weight: 700"
Text="Mobile"></asp:Label>
    </div>
</div>
<div class="js_mail_control">
    <div style="height: 40px">
        <textarea id="TextArea8" cols="28"
name="S1"></textarea>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox18" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox19" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button25" runat="server"
Text="Send" /></div>
    </div>
</div>
<!-- Upload Photo -->
<div id="div16" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button26" runat="server"
BackColor="Black" ForeColor="White"
                Text="Facebook"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button27" runat="server"
BackColor="Black" ForeColor="White"
                Text="Twitter"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
```

```

        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button28" runat="server"
                BackColor="Black" ForeColor="White"
                Text="Google +"
                    style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<!-- End Upload Photo -->
<div class="pageline">
<div id="div17" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label58" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label59" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label60" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea9" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox20" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">

```

```

        <asp:TextBox ID="TextBox21" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
</div>
<div style="text-align: center">
    <asp:Button ID="Button29" runat="server"
Text="Send" /></div>
</div>

</div>
<!-- Upload Photo -->
<div id="div18" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21 scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width:50px;"
allowTransparency="true"></iframe>

            </div>
            <div class="js_share_twitter">
                <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
                <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

            </div>
            <div class="js_share_googleplus">
                <asp:Button ID="Button30" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />

```

```

        </div>
    </div>
</div>
</div>

<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton17" runat="server"
            ImageUrl="~/Travels/travel2.jpg" Width="150px"
            Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
        </div>
        <div class="infoBlock">
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image26" runat="server"
                        ImageUrl="~/PuneBiz/like6.jpg"
                        Height="20px" Width="20px"/>
                </div>
                <div class="smallDesc">
                    <asp:HyperLink ID="HyperLink24" runat="server"
                        NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
                >
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    &nbsp;</div>
                <div class="smallDesc">
                    <asp:ImageButton ID="ImageButton18"
                        runat="server"
                        ImageUrl="~/Images/rating.jpg"
                        Height="20px" />
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image27" runat="server"
                        ImageUrl="~/PuneBiz/calling6.jpg"
                        Height="20px" Width="20px" />
                </div>
                <div class="smallDesc">
                    <asp:Label ID="Label61" runat="server"
                        Text="Label"></asp:Label>
                </div>
            </div>
            <div style="height: 24px">

```

```

        <div class="detailsBlock" style="text-align: center">
            <br />
            <br />
            <br />
            <br />
            <br />
            <asp:Button ID="Button31" runat="server" Text="SMS/
Email" Width="103px"
                onclick="Button5_Click"/>
        </div>

</div>
<div id="div19" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label65" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label66" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label67" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea10" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox22" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">

```

```

        <asp:TextBox ID="TextBox23" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
</div>
    <div style="text-align: center">
        <asp:Button ID="Button32" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div20" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button33" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button34" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button35" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<!-- End Upload Photo -->
<div style="border-bottom:1px solid black; margin:0px 0px 10px
0px;">
<div id="div21" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">

```

```

        <asp:Label ID="Label68" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:Label ID="Label69" runat="server" Font-
Size="Small"
            style="font-weight: 700"
Text="Email"></asp:Label>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:Label ID="Label70" runat="server" Font-
Size="Small"
            style="font-weight: 700"
Text="Mobile"></asp:Label>
    </div>
</div>
<div class="js_mail_control">
    <div style="height: 40px">
        <textarea id="TextArea11" cols="28"
name="S1"></textarea>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox24" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="height: 20px; margin:10px 0px 0px
0px;">
        <asp:TextBox ID="TextBox25" runat="server"
Width="242px" Height="20"></asp:TextBox>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button36" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div22" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"

```

```

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
        <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

    </div>
    <div class="js_share_twitter">
        <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
        <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

    </div>
    <div class="js_share_googleplus">
        <asp:Button ID="Button37" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
    </div>
</div>
</div>

<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton20" runat="server"
ImageUrl="~/Travels/travel2.jpg" Width="150px"
Height="150px" style=" border-radius: 10px 10px 10px 10px;" />
    </div>
    <div class="infoBlock">
        <div style="height: 24px">
            <div class="smallImage">
                <asp:Image ID="Image29" runat="server"
ImageUrl="~/PuneBiz/like7.jpg"
Height="20px" Width="20px" />
            </div>

```

```

        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:Label ID="Label176" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Email"></asp:Label>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:Label ID="Label177" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Mobile"></asp:Label>
        </div>
    </div>
    <div class="js_mail_control">
        <div style="height: 40px">
            <textarea id="TextArea12" cols="28"
name="S1"></textarea>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox26" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox27" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="text-align: center">
            <asp:Button ID="Button39" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div24" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button40" runat="server"
BackColor="Black" ForeColor="White"
                Text="Facebook"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>

```

```

        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button41" runat="server"
                BackColor="Black" ForeColor="White"
                Text="Twitter"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button42" runat="server"
                BackColor="Black" ForeColor="White"
                Text="Google +"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<!-- End Upload Photo -->
<div class="pageline">
<div id="div25" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label78" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label79" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label80" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea13" cols="28"
name="S1"></textarea>

```

```

        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox28" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox29" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button43" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div26" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

            </div>
            <div class="js_share_twitter">
                <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
                <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

```

```

        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button44" runat="server"
                BackColor="Black" ForeColor="White"
                Text="Google +"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
</div>

<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton23" runat="server"
            ImageUrl="~/Travels/travel2.jpg" Width="150px"
            Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
        </div>
        <div class="infoBlock">
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image32" runat="server"
                        ImageUrl="~/PuneBiz/like8.jpg"
                        Height="20px" Width="20px"/>
                </div>
                <div class="smallDesc">
                    <asp:HyperLink ID="HyperLink32" runat="server"
                        NavigateUrl="~/Business_Travels.aspx">HyperLink</asp:HyperLink
                    >
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    &nbsp;</div>
                <div class="smallDesc">
                    <asp:ImageButton ID="ImageButton24"
                        runat="server"
                        ImageUrl="~/Images/rating.jpg"
                        Height="20px" />
                </div>
            </div>
            <div style="height: 24px">
                <div class="smallImage">
                    <asp:Image ID="Image33" runat="server"
                        ImageUrl="~/PuneBiz/calling8.jpg"
                        Height="20px" Width="20px" />
                </div>
            </div>
        </div>
    </div>

```

Page 163

```

                                ImageUrl="~/images/google.png"
Height="20px" Width="25px" title="Share with Friends on Google
Plus"
                                style=" border-radius:5px 5px 5px 5px;"/>--%>
                                
</div>
</div>
<div class="detailsBlock" style="text-align: center">
    <br />
    <br />
    <br />
    <br />
    <br />
    <asp:Button ID="Button45" runat="server" Text="SMS/
Email" Width="103px"
        onclick="Button5_Click"/>
</div>

</div>
<div id="div27" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label85" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label86" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label87" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
            </div>
            <div class="js_mail_control">
                <div style="height: 40px">
                    <textarea id="TextArea14" cols="28"
name="S1"></textarea>

```

```

        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox30" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox31" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="text-align: center">
            <asp:Button ID="Button46" runat="server"
Text="Send" /></div>
        </div>

<!-- Upload Photo -->
<div id="div28" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <asp:Button ID="Button47" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_twitter">
            <asp:Button ID="Button48" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
        <div class="js_share_googleplus">
            <asp:Button ID="Button49" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
        </div>
    </div>
</div>
<!-- End Upload Photo -->

```

```

<div class="pageline">
<div id="div29" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label88" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label89" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label90" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea15" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox32" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox33" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="text-align: center">
                <asp:Button ID="Button50" runat="server"
Text="Send" /></div>
        </div>
    </div>
<!-- Upload Photo -->

```

```

<div id="div30" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width:50px;"
allowTransparency="true"></iframe>

            </div>
            <div class="js_share_twitter">
                <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"
Text="Twitter"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
                <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

                </div>
                <div class="js_share_googleplus">
                    <asp:Button ID="Button51" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
                </div>
            </div>
        </div>
    </div>

<div class="Block1">
    <div class="imageBlock">
        <asp:ImageButton ID="ImageButton26" runat="server"
ImageUrl="~/Travels/travel2.jpg" Width="150px"
Height="150px" style=" border-radius: 10px 10px 10px 10px;"/>
    </div>

```

```

        </div>
    </div>
    <div style="height: 24px">
        <div class="smallImage">
            &nbsp;</div>
        <div class="smallDesc">
            <asp:Label ID="Label93" runat="server"
style="font-style: italic"
            Text="Bus Services for" Font-
Size="Small"></asp:Label>
            &nbsp;<asp:Label ID="Label94" runat="server"
Text="Pune"
            style="font-style: italic" Font-
Size="Small"></asp:Label>
            ,<asp:HyperLink ID="HyperLink38"
runat="server" style="font-style: italic"
            NavigateUrl="~/Business_Travels.aspx"
Font-Size="Small">Travel Agent</asp:HyperLink>
            ,
            <asp:HyperLink ID="HyperLink39" runat="server"
style="font-style: italic"
            NavigateUrl="~/Business_Travels.aspx"
Font-Size="Small">More...</asp:HyperLink>
        </div>
    </div>
    <div class="mapView" style="text-align: center; ">
        <%-- <asp:ImageButton ID="ImageButton4"
runat="server"
            ImageUrl="~/images/mail11.png"
Height="20px" Width="25px" title="Send Email for RedBus"
style=" border-radius:5px 5px 5px 5px;" />--%>
        
            &nbsp;&nbsp;&nbsp;
        <asp:ImageButton ID="ImageButton28"
runat="server"
            ImageUrl="~/PuneBiz/upload9.jpg"
Height="20px" Width="25px"
            title="Upload Photos" style="
border-radius:5px 5px 5px 5px;" />
        <cc1:ModalPopupExtender ID="ModalPopupExtender10"
runat="server" PopupControlID="Panel2"
TargetControlID="imgUpload0"
            CancelControlID="Image13"
BackgroundCssClass="modalBackground">
        </cc1:ModalPopupExtender>
    </div>

```

```

<div id="div31" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label195" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label196" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label197" runat="server" Font-
Size="Small"
                    style="font-weight: 700"
Text="Mobile"></asp:Label>
            </div>
        </div>
        <div class="js_mail_control">
            <div style="height: 40px">
                <textarea id="TextArea16" cols="28"
name="S1"></textarea>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox34" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:TextBox ID="TextBox35" runat="server"
Width="242px" Height="20"></asp:TextBox>
            </div>
        </div>
        <div style="text-align: center">
            <asp:Button ID="Button53" runat="server"
Text="Send" /></div>
    </div>
<!-- Upload Photo -->
<div id="div32" style="width:750px; height:30px; border:2px
solid red; display:none;">

```

```

        <div class="js_share_info">
            <div class="js_share_facebook">
                <asp:Button ID="Button54" runat="server"
BackColor="Black" ForeColor="White"
                Text="Facebook"
                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
            </div>
            <div class="js_share_twitter">
                <asp:Button ID="Button55" runat="server"
BackColor="Black" ForeColor="White"
                Text="Twitter"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
            </div>
            <div class="js_share_googleplus">
                <asp:Button ID="Button56" runat="server"
BackColor="Black" ForeColor="White"
                Text="Google +"

                style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
            </div>
        </div>
</div>
<!-- End Upload Photo -->
<div class="pageline">
<div id="div33" style="width:750px; height:150px; border:2px
solid red; display:none;">
    <div class="js_mail_body">
        <div class="js_mail_label">
            <div style="height: 40px">
                <asp:Label ID="Label98" runat="server"
style="font-weight: 700" Text="Message"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label99" runat="server" Font-
Size="Small"
                style="font-weight: 700"
Text="Email"></asp:Label>
            </div>
            <div style="height: 20px; margin:10px 0px 0px
0px;">
                <asp:Label ID="Label100" runat="server" Font-
Size="Small"

```

```

                                style="font-weight: 700"
Text="Mobile"></asp:Label>
    </div>
</div>
    <div class="js_mail_control">
        <div style="height: 40px">
            <textarea id="TextArea17" cols="28"
name="S1"></textarea>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox36" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
        <div style="height: 20px; margin:10px 0px 0px
0px;">
            <asp:TextBox ID="TextBox37" runat="server"
Width="242px" Height="20"></asp:TextBox>
        </div>
    </div>
    <div style="text-align: center">
        <asp:Button ID="Button57" runat="server"
Text="Send" /></div>
    </div>

</div>
<!-- Upload Photo -->
<div id="div34" style="width:750px; height:30px; border:2px
solid red; display:none;">
    <div class="js_share_info">
        <div class="js_share_facebook">
            <%--<asp:Button ID="Button7" runat="server"
BackColor="Black" ForeColor="White"
Text="Facebook"
style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
            <iframe
src="//www.facebook.com/plugins/like.php?href=http%3A%2F%2Fwww
.mysite.com%2FQuiz%2FTake%2F193&width=50&layout=button
_count&action=like&show_faces=true&share=true&
height=21" scrolling="no" frameborder="0" style="border:none;
overflow:hidden; height:21px; width=50px;"
allowTransparency="true"></iframe>

        </div>
        <div class="js_share_twitter">
            <%--<asp:Button ID="Button8" runat="server"
BackColor="Black" ForeColor="White"

```

```

        Text="Twitter"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />--%>
        <a
href="https://plus.google.com/share?url=http%3A%2F%2Fhttp://ww
w.c-sharpcorner.com%3Fa%3Db%26c%3Dd">Google +</a>

    </div>
    <div class="js_share_googleplus">
        <asp:Button ID="Button58" runat="server"
BackColor="Black" ForeColor="White"
Text="Google +"

        style="border-radius:10px 10px 10px 10px;
border:1px solid red; font-weight: 700;" />
    </div>
</div>
</div>
</div>

```

```

        <cc1:ModalPopupExtender ID="ModalPopupExtender1"
runat="server" PopupControlID="Panel1"
TargetControlID="travelMore"
CancelControlID="Image13"
BackgroundCssClass="modalBackground">
        </cc1:ModalPopupExtender>
        <asp:Panel ID="Panel2" runat="server"
CssClass="modalPopup" align="center" style = "display:none;"
Height="50" Width="250">
            <asp:FileUpload ID="FileUpload1" runat="server" />
            <asp:Button ID="btnUploadImg" runat="server"
Text="Upload"
onclick="btnUploadImg_Click" />
        </asp:Panel>
        <asp:Panel ID="Panel1" runat="server"
CssClass="modalPopup" align="center" style = " display:none;"
Height="400" Width="500" >
            <div class="bestDealBanner">
                <div style="height: 34px">
                    <div class="bestDealSide1"
style="text-align: left">
                        <asp:Label ID="Label13"
runat="server" style="font-weight: 700"

```

```

Text="Fill this form and get
best deals on "></asp:Label>
    <asp:Label ID="Label14"
runat="server" ForeColor="#FF9900"
    style="font-weight: 700"
Text="Bus Services"></asp:Label>
    </div>
    <div class="bestDealSide2">
        <asp:Image ID="Image13"
runat="server" ImageUrl="~/images/close.jpg" Height="25"
Width="30" />
    </div>
</div>
    <div style="height: 25px; margin:20px 0px
0px 0px;">
        <div class="bestDealInfo1"
style="text-align: left">
            <asp:Label ID="Label15"
runat="server" Text="Your Name:"></asp:Label>
        </div>
        <div class="bestDealInfo2">
            <asp:TextBox ID="TextBox1"
runat="server" Height="25px" Width="250px"></asp:TextBox>
        </div>
    </div>
    <div style="height: 25px; margin:20px 0px
0px 0px;">
        <div class="bestDealInfo1"
style="text-align: left">
            <asp:Label ID="Label16"
runat="server" Text="Your Mobile Number:"></asp:Label>
        </div>
        <div class="bestDealInfo2">
            <asp:TextBox ID="TextBox2"
runat="server" Height="25px" Width="250px"></asp:TextBox>
        </div>
    </div>
    <div style="height: 25px; margin:20px 0px
0px 0px;">
        <div class="bestDealInfo1"
style="text-align: left">
            <asp:Label ID="Label17"
runat="server" Text="Your Email ID:"></asp:Label>
        </div>
        <div class="bestDealInfo2">
            <asp:TextBox ID="TextBox3"
runat="server" Height="25px" Width="250px"></asp:TextBox>
        </div>

```

```

        </div>
        <div style="height: 30px; margin:20px 0px
0px 0px;">
            <div class="bestDealInfo1">
                &nbsp;</div>
            <div class="bestDealInfo2">
                <asp:Button ID="btnSubmitInquiry"
runat="server" Height="30px"
                    style=" border-radius: 5px 5px
5px 5px; border: 2px solid #CCCCC;"
                    Text="Submit"
onclick="btnSubmitInquiry_Click" />
            </div>
        </div>
        <div style="height: 25px; margin:20px 0px
0px 0px;">
            <div class="bestDealInfoSide1">
                <asp:Image ID="Image14"
runat="server" ImageUrl="~/images/bestdeal.jpg" Width="150" />
            </div>
            <div class="bestDealInfoSide2">
                <div>
                    <asp:Image ID="Image15"
runat="server" ImageUrl="~/images/circle.jpg" Width="10"
Height="10"/>
                </div>
                <div>&nbsp;</div>
                <div style="font-weight: 700">
                    <asp:Image ID="Image18"
runat="server" Height="10"
                        ImageUrl="~/images/circle.jpg"
Visible="False" Width="10" />
                </div>
                <div>
                    <asp:Image ID="Image16"
runat="server" Height="10"
                        ImageUrl="~/images/circle.jpg"
Width="10" />
                </div>
                <div>&nbsp;<br /> &nbsp;</div>
                <div>
                    <asp:Image ID="Image17"
runat="server" ImageUrl="~/images/circle.jpg" Width="10"
Height="10"/>
                </div>
                <div>&nbsp;&nbsp;</div>
            </div>
        </div>
    
```

```

                                <asp:Image ID="Image4"
runat="server" ImageUrl="~/images/circle.jpg" Width="10"
Height="10"/>
                                </div>
                            </div>
                            <div class="bestDealInfoSide3">
                                <div>
                                    <asp:Label ID="Label18"
runat="server" Font-Size="Small"
                                Text="Your requirement is
sent to select relevant businesses "></asp:Label>
                                </div>
                                <div>&nbsp;&nbsp;&nbsp;</div>
                                <div>
                                    <asp:Label ID="Label19"
runat="server" Font-Size="Small"
                                Text="Businesses compete
with each other to get you the Best"></asp:Label>
                                </div>
                                <div>&nbsp;&nbsp;&nbsp;</div>
                                <div style="text-align: left">
                                    <asp:Label ID="Label20"
runat="server" Font-Size="Small"
                                Text="You choose whichever
suits you best "></asp:Label>
                                </div>
                                <div>&nbsp;&nbsp;&nbsp;</div>
                                <div style="text-align: left">
                                    <asp:Label ID="Label21"
runat="server" Font-Size="Small"
                                Text="Contact Info sent to
you by SMS/Email "></asp:Label>
                                </div>
                            </div>
                        </div>
                        <!-- <a href="Default2.aspx" title="">Submit</a> </br>-
->
                        <br>
                        <br>
                        <br>
                    </div>
                </asp:Panel>

</asp:Content>

```

